

Table 2a.**Coronary Heart Disease Deaths Among San Diego County Residents, 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

Geographic Level	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
San Diego County	4,552	185.1	4,512	178.3	4,247	162.8
Region						
N. Coastal	682	156.4	704	154.1	682	141.9
N. Central	854	176.4	782	155.6	700	135.8
Central	703	213.9	651	199.2	676	205.5
South	669	225.7	653	214.9	634	198.9
East	840	205.7	883	210.8	853	199.0
N. Inland	786	155.6	815	156.2	683	126.9
Gender						
Male	2,326	231.8	2,266	218.3	2,229	206.8
Female	2,226	148.3	2,246	146.3	2,018	127.9
Race/Ethnicity						
Hispanic	382	158.3	427	163.2	388	141.2
White	3,767	192.0	3,702	185.1	3,410	167.3
Black	193	277.6	180	249.1	213	265.5
Asian/Other	206	113.3	200	103.2	233	111.6
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	1	*	0	*	0	*
5-14	1	*	0	*	1	*
15-24	1	*	2	*	0	*
25-34	7	1.6	14	3.1	8	1.7
35-44	66	14.4	49	10.7	52	11.3
45-54	189	53.6	177	48.5	179	47.6
55-64	336	164.2	333	157.7	359	160.1
65-74	736	459.8	766	479.0	670	419.6
75-84	1,459	1,244.0	1,492	1,249.6	1,434	1,182.2
85+	1,755	4,820.5	1,676	4,389.0	1,544	3,840.6

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology 04/06/04

Table 2b.**Coronary Heart Disease Deaths Among San Diego County Residents, 2000-2002**

Region by Race

Geographic Level	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
N. Coastal						
Hispanic	38	136.1	36	107.0	37	110.4
White	626	162.9	640	160.0	618	147.9
Black	9	178.4	7	84.5	13	189.0
Asian/Other	9	46.2	21	96.6	13	49.1
N. Central						
Hispanic	26	126.8	32	137.5	25	103.7
White	767	184.3	697	162.3	626	142.9
Black	19	342.0	9	155.9	10	157.4
Asian/Other	42	102.4	44	101.7	39	93.7
Central						
Hispanic	85	170.5	82	157.3	85	160.1
White	435	231.0	392	213.6	390	217.3
Black	131	302.1	127	305.8	141	334.9
Asian/Other	51	116.8	50	121.3	60	162.4
South						
Hispanic	163	183.7	200	221.0	171	185.2
White	428	265.1	388	235.2	380	219.3
Black	17	298.7	15	259.0	16	207.1
Asian/Other	60	167.4	50	131.4	66	160.4
East						
Hispanic	35	137.0	52	164.5	44	127.8
White	765	213.1	794	220.4	762	210.0
Black	14	208.4	20	265.0	23	255.0
Asian/Other	25	155.9	15	85.7	23	109.7
N. Inland						
Hispanic	34	127.3	23	73.8	21	63.1
White	730	162.1	770	169.1	623	133.9
Black	3	*	1	*	7	139.9
Asian/Other	18	62.4	20	65.1	32	91.9

All rates are per 100,000 population (by region and race) and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology 04/09/04

Table 3a.**Diabetes Related Deaths** Among San Diego County Residents, 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

Geographic Level	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
San Diego County	481	19.2	491	19.3	475	18.2
Region						
N. Coastal	61	13.8	48	10.7	81	17.1
N. Central	72	14.3	70	13.5	58	11.0
Central	110	33.0	113	34.1	94	28.0
South	60	18.9	68	20.9	71	21.3
East	95	22.9	99	23.7	95	22.4
N. Inland	81	16.5	92	18.4	75	14.5
Gender						
Male	246	22.8	221	20.4	248	22.4
Female	235	16.5	270	18.5	227	15.2
Race/Ethnicity						
Hispanic	106	35.1	84	29.2	84	28.3
White	296	15.4	327	16.9	316	16.0
Black	47	61.8	32	34.2	37	44.1
Asian/Other	31	15.6	48	22.3	38	15.6
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	0	*	0	*	0	*
5-14	0	*	0	*	0	*
15-24	1	*	0	*	0	*
25-34	5	1.1	3	*	2	*
35-44	21	4.6	15	3.3	9	2.0
45-54	43	12.2	31	8.5	33	8.8
55-64	64	31.3	61	28.9	43	19.2
65-74	105	65.6	119	74.4	118	73.9
75-84	163	139.0	164	137.4	177	145.9
85+	78	214.2	98	256.6	93	231.3

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

** these data includes only diabetes identified as the underlying cause of death.

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 3b.**Diabetes Related** Deaths Among San Diego County Residents, 2000-2002**

Region by Race

Geographic Level	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
N. Coastal						
Hispanic	12	33.7	4	*	10	28.2
White	40	10.6	35	9.1	64	15.5
Black	6	101.0	2	*	2	*
Asian/Other	3	*	7	29.4	5	18.1
N. Central						
Hispanic	5	22.2	3	*	4	*
White	56	13.4	60	13.7	45	10.3
Black	7	149.9	1	*	1	*
Asian/Other	4	*	6	9.5	8	14.5
Central						
Hispanic	31	51.2	24	43.8	23	35.4
White	39	22.5	43	24.2	46	26.6
Black	28	55.8	25	49.6	17	38.5
Asian/Other	12	27.3	21	47.3	8	17.9
South						
Hispanic	27	25.8	33	30.6	31	29.9
White	25	15.5	28	18.2	27	16.6
Black	3	*	0	*	3	*
Asian/Other	5	12.7	7	13.6	10	17.9
East						
Hispanic	19	51.2	8	26.2	9	29.2
White	73	20.8	83	23.5	69	19.2
Black	2	*	4	*	12	113.0
Asian/Other	1	*	4	*	5	21.5
N. Inland						
Hispanic	12	30.7	12	35.1	7	21.5
White	62	14.3	77	18.1	65	15.2
Black	1	*	0	*	1	*
Asian/Other	6	19.0	3	*	2	*

All rates are per 100,000 population (by region and race) and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

** these data includes only diabetes identified as the underlying cause of death.

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology 04/09/04

Table 4.**Drownings Among San Diego County Residents, 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

Geographic Level	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
San Diego County	31	1.1	30	1.0	31	1.1
Region						
N. Coastal	5	1.0	5	1.0	9	1.8
N. Central	12	2.4	10	1.8	4	*
Central	8	1.5	4	*	6	1.4
South	1	*	3	*	9	2.1
East	2	*	5	1.1	1	*
N. Inland	3	*	3	*	1	*
Gender						
Male	21	1.5	22	1.5	19	1.4
Female	10	0.7	8	0.6	11	0.8
Race/Ethnicity						
Hispanic	5	0.5	8	0.7	13	1.7
White	21	1.4	16	0.9	12	0.8
Black	0	*	3	*	2	*
Asian/Other	5	1.1	3	*	3	*
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	9	4.5	3	*	5	2.5
5-14	1	*	2	*	1	*
15-24	5	1.2	6	1.4	6	1.3
25-34	3	*	4	*	1	*
35-44	5	1.1	4	*	7	1.5
45-54	3	*	5	1.4	3	*
55-64	0	*	2	*	1	*
65-74	1	*	1	*	4	*
75-84	2	*	3	*	1	*
85+	2	*	0	*	1	*

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 5a.

Drug Induced Deaths Among San Diego County Residents, 2000-2002

By Region, Gender, Race/Ethnicity, and Age Group

Geographic Level	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
San Diego County	264	9.4	246	8.8	290	10.1
Region						
N. Coastal	31	6.5	39	8.2	33	6.7
N. Central	44	7.8	42	7.6	37	6.3
Central	71	16.7	65	14.6	81	18.1
South	38	10.2	22	5.8	37	9.6
East	45	10.0	41	9.0	50	10.9
N. Inland	24	4.9	22	4.5	38	7.6
Gender						
Male	181	12.8	153	10.9	188	12.9
Female	83	6.1	93	6.6	102	7.1
Race/Ethnicity						
Hispanic	45	7.0	43	6.5	42	6.0
White	198	11.9	183	11.0	205	12.2
Black	14	9.4	13	9.0	26	16.3
Asian/Other	6	2.0	7	2.3	17	4.7
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	0	*	0	*	1	*
5-14	0	*	1	*	0	*
15-24	11	2.6	12	2.7	20	4.4
25-34	42	9.5	37	8.2	51	11.1
35-44	106	23.2	82	17.9	76	16.5
45-54	69	19.6	84	23.0	102	27.1
55-64	17	8.3	16	7.6	28	12.5
65-74	4	*	9	5.6	6	3.8
75-84	6	5.1	3	*	4	*
85+	6	16.5	2	*	2	*

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 5b.**Drug Induced Deaths Among San Diego County Residents, 2000-2002**

Region by Race

Geographic Level	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
N. Coastal						
Hispanic	4	*	4	*	4	*
White	26	8.3	34	10.7	26	7.8
Black	0	*	0	*	1	*
Asian/Other	1	*	1	*	2	*
N. Central						
Hispanic	5	9.1	0	*	2	*
White	36	9.0	41	10.3	29	7.1
Black	1	*	1	*	2	*
Asian/Other	2	*	0	*	4	*
Central						
Hispanic	15	10.1	17	10.8	12	7.5
White	46	28.8	34	21.0	49	31.8
Black	10	16.1	12	18.3	16	24.2
Asian/Other	0	*	2	*	4	*
South						
Hispanic	12	6.8	9	4.7	14	7.9
White	24	20.2	12	9.8	20	16.0
Black	1	*	0	*	2	*
Asian/Other	1	*	1	*	1	*
East						
Hispanic	5	6.4	3	*	3	*
White	39	11.7	37	11.1	37	11.3
Black	1	*	0	*	5	20.0
Asian/Other	0	*	1	*	5	15.4
N. Inland						
Hispanic	2	*	9	10.8	4	*
White	20	6.3	11	3.6	33	10.5
Black	0	*	0	*	0	*
Asian/Other	2	*	2	*	1	*

All rates are per 100,000 population (by region and race) and are adjusted to 2000 Standard U.S. Population
 * rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology 04/09/04

Table 6a.**Female Breast Cancer Deaths among San Diego County Residents**

By Region, Race/Ethnicity, and Age Group

Geographic Level	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
San Diego County	415	29.9	373	26.5	407	28.2
Region						
N. Coastal	58	24.7	63	25.8	64	24.9
N. Central	84	29.6	75	26.8	88	30.5
Central	57	30.3	49	26.3	55	28.2
South	43	23.9	60	32.9	46	24.1
East	83	35.5	60	25.2	69	28.7
N. Inland	88	33.0	65	24.2	84	30.4
Race/Ethnicity						
Hispanic	38	19.7	33	15.7	49	20.4
White	342	34.0	301	30.3	311	30.4
Black	16	29.3	18	35.8	20	36.6
Asian/Other	19	13.8	21	14.4	27	15.6
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	0	*	0	*	0	*
5-14	0	*	0	*	0	*
15-24	0	*	0	*	0	*
25-34	3	*	5	2.3	6	2.7
35-44	34	15.1	32	14.2	35	15.5
45-54	59	33.0	59	31.8	64	33.5
55-64	71	66.2	81	73.3	72	61.6
65-74	85	96.8	68	77.7	85	97.7
75-84	115	168.3	72	103.5	89	125.9
85+	48	197.0	56	221.0	56	212.6

All rates are per 100,000 females population and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

Source: California Death Statistical Master File; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Revised: 08/06/04

Table 6b.**Female Breast Cancer Deaths Among San Diego County Residents, 2000-2002**

Region by Race

Geographic Level	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
N. Coastal						
Hispanic	5	21.4	2	*	4	*
White	49	25.4	59	30.2	56	26.6
Black	1	*	0	*	1	*
Asian/Other	3	*	2	*	3	*
N. Central						
Hispanic	6	32.6	3	*	6	25.4
White	73	31.6	66	30.4	69	30.7
Black	0	*	4	*	5	82.0
Asian/Other	5	15.3	2	*	8	19.8
Central						
Hispanic	8	23.5	4	*	9	18.7
White	32	36.8	32	38.7	28	29.3
Black	12	39.5	8	31.3	11	39.0
Asian/Other	5	17.8	5	22.6	7	21.2
South						
Hispanic	9	12.6	19	25.2	16	21.5
White	32	39.1	31	36.3	24	29.7
Black	0	*	2	*	2	*
Asian/Other	2	*	8	23.0	4	*
East						
Hispanic	9	42.8	3	*	8	28.5
White	70	36.4	54	28.0	61	31.4
Black	2	*	2	*	0	*
Asian/Other	2	*	1	*	0	*
N. Inland						
Hispanic	1	*	2	*	6	17.3
White	84	38.5	58	28.0	73	32.7
Black	1	*	2	*	0	*
Asian/Other	2	*	3	*	5	16.2

All rates are per 100,000 females (by region and race) and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology 04/09/04

Table 7a.**Lung Cancer Deaths Among San Diego County Residents, 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
San Diego County	1,248	50.3	1,228	48.6	1148	44.3
Region						
N. Coastal	186	43.0	199	44.5	173	36.8
N. Central	252	49.4	200	38.4	243	46.2
Central	192	59.2	197	60.1	183	55.2
South	145	45.5	152	46.1	123	36.3
East	235	57.3	272	65.4	230	54.3
N. Inland	237	49.2	204	41.4	195	38.4
Gender						
Male	682	63.8	648	59.2	622	55.2
Female	566	40.4	580	41.0	526	36.3
Race/Ethnicity						
Hispanic	82	29.0	84	28.1	68	20.0
White	1,065	56.7	1,015	53.9	965	50.4
Black	48	63.5	53	66.1	53	62.2
Asian/Other	53	24.9	73	29.9	62	24.4
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	0	*	0	*	0	*
5-14	0	*	0	*	0	*
15-24	1	*	1	*	1	*
25-34	2	*	0	*	1	*
35-44	6	1.3	14	3.1	15	3.3
45-54	83	23.5	83	22.7	88	23.4
55-64	198	96.7	227	107.5	177	78.9
65-74	404	252.4	371	232.0	338	211.7
75-84	425	362.4	416	348.4	415	342.1
85+	128	351.6	116	303.8	113	281.1

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 7b.**Lung Cancer Deaths Among San Diego County Residents, 2000-2002**

Region by Race

Geographic Level	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
N. Coastal						
Hispanic	8	23.8	8	23.3	13	30.6
White	170	46.1	175	46.7	150	38.2
Black	4	*	5	90.0	3	*
Asian/Other	4	*	10	42.3	7	22.4
N. Central						
Hispanic	6	21.7	6	19.1	8	24.1
White	230	54.3	174	40.4	221	51.4
Black	3	*	4	*	4	*
Asian/Other	13	26.3	16	28.3	10	18.4
Central						
Hispanic	20	36.1	22	35.6	11	16.6
White	127	79.7	129	80.4	111	70.2
Black	32	68.3	32	70.1	38	84.6
Asian/Other	13	25.9	13	22.1	23	45.8
South						
Hispanic	26	25.7	31	29.1	24	20.2
White	101	62.6	100	63.9	87	53.5
Black	5	76.8	4	*	2	*
Asian/Other	13	28.9	17	33.2	10	17.2
East						
Hispanic	12	40.5	12	42.7	5	13.2
White	217	61.8	246	70.6	215	61.3
Black	3	*	7	64.6	5	32.3
Asian/Other	3	*	6	23.1	5	19.3
N. Inland						
Hispanic	10	28.7	5	11.1	7	16.4
White	219	53.1	187	44.7	180	42.1
Black	1	*	1	*	1	*
Asian/Other	7	25.4	11	34.5	7	18.9

All rates are per 100,000 (by region and race) and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology 04/09/04

Table 8.**Fall Related Deaths Among San Diego County Residents, 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

Geographic Level	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
San Diego County	128	5.1	107	4.1	134	5.1
Region						
N. Coastal	25	5.5	11	2.4	15	3.0
N. Central	24	4.9	18	3.6	33	6.4
Central	13	4.0	17	4.7	16	4.8
South	20	6.5	10	3.0	17	5.3
East	22	5.4	16	3.8	17	4.0
N. Inland	19	3.8	32	6.2	34	6.2
Gender						
Male	77	7.3	69	6.1	80	7.1
Female	51	3.5	38	2.5	54	3.4
Race/Ethnicity						
Hispanic	21	6.4	19	5.0	8	2.8
White	100	5.2	80	4.1	112	5.6
Black	3	*	1	*	3	*
Asian/Other	4	*	7	3.8	11	4.7
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	0	*	0	*	0	*
5-14	2	*	1	*	0	*
15-24	2	*	3	*	4	*
25-34	3	*	3	*	1	*
35-44	4	*	8	1.7	3	*
45-54	11	3.1	11	3.0	12	3.2
55-64	12	5.9	12	5.7	9	4.0
65-74	14	8.7	9	5.6	16	10.0
75-84	38	32.4	29	24.3	49	40.4
85+	42	115.4	31	81.2	40	99.5

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 9.**Deaths Due to Accidental Exposure to Smoke, Fire and Flames Among San Diego County Residents, 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

Geographic Level	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
San Diego County	11	0.4	7	0.3	10	0.4
Region						
N. Coastal	3	*	1	*	3	*
N. Central	1	*	2	*	0	*
Central	3	*	2	*	0	*
South	1	*	1	*	2	*
East	2	*	0	*	2	*
N. Inland	1	*	0	*	2	*
Gender						
Male	5	0.4	6	0.4	6	0.5
Female	6	0.4	1	*	4	*
Race/Ethnicity						
Hispanic	3	*	1	*	1	*
White	8	0.0	3	*	9	0.5
Black	0	*	3	*	0	*
Asian/Other	0	*	0	*	0	*
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	0	*	0	*	0	*
5-14	1	*	0	*	0	*
15-24	0	*	0	*	1	*
25-34	0	*	2	*	0	*
35-44	1	*	2	*	0	*
45-54	3	*	1	*	0	*
55-64	2	*	1	*	4	*
65-74	2	*	1	*	2	*
75-84	2	*	0	*	2	*
85+	0	*	0	*	1	*

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 10.**Firearm Deaths Among San Diego County Residents, 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

Geographic Level	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
San Diego County	202	7.3	217	7.7	195	6.8
Region						
N. Coastal	30	6.5	33	6.7	28	5.7
N. Central	42	7.5	37	6.6	25	4.4
Central	43	9.2	52	10.7	36	7.9
South	21	5.8	33	9.3	19	4.7
East	35	7.8	31	7.0	45	10.0
N. Inland	31	6.5	29	6.0	36	7.2
Gender						
Male	168	12.6	186	13.8	167	12.1
Female	34	2.5	31	2.2	28	1.9
Race/Ethnicity						
Hispanic	21	2.9	39	5.1	38	5.1
White	152	9.0	141	8.3	130	7.6
Black	18	9.9	25	13.9	17	9.3
Asian/Other	11	2.8	11	2.6	10	2.4
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	1	*	2	*	0	*
5-14	2	*	2	*	2	*
15-24	38	8.8	45	10.2	32	7.1
25-34	31	7.0	40	8.9	33	7.2
35-44	41	9.0	30	6.5	36	7.8
45-54	25	7.1	24	6.6	34	9.0
55-64	18	8.8	26	12.3	24	10.7
65-74	20	12.5	18	11.3	11	6.9
75-84	19	16.2	22	18.4	14	11.5
85+	7	19.2	8	21.0	9	22.4

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 11a.**Homicides Among San Diego County Residents, 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

Geographic Level	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
San Diego County	96	3.2	99	3.3	96	3.2
Region						
N. Coastal	10	2.0	13	2.6	12	2.3
N. Central	11	2.0	13	2.2	11	1.8
Central	36	6.8	34	6.6	27	5.3
South	12	3.1	14	3.4	9	2.3
East	16	3.5	14	3.1	18	3.9
N. Inland	8	1.8	7	1.5	13	2.6
Gender						
Male	71	4.7	74	4.7	70	4.5
Female	25	1.6	25	1.7	26	1.8
Race/Ethnicity						
Hispanic	31	3.7	31	3.9	34	4.2
White	40	2.5	36	2.3	35	2.2
Black	15	8.3	21	13.1	20	11.4
Asian/Other	8	2.0	6	1.4	7	1.7
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	8	4.0	4	*	2	*
5-14	2	*	2	*	4	*
15-24	30	7.0	29	6.6	21	4.7
25-34	23	5.2	24	5.3	28	6.1
35-44	14	3.1	20	4.4	20	4.4
45-54	3	*	6	1.6	13	3.5
55-64	9	4.4	5	2.4	2	*
65-74	2	*	4	*	3	*
75-84	1	*	2	*	3	*
85+	1	*	1	*	0	*
Special Requested Age Group	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
15-34	53	6.1	53	6.0	49	5.4

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 11b.**Homicides Among San Diego County Adolescent and Young Adult Residents,
Ages 15-34, 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Deaths ages 15-34	Adjusted Rate ages 15-34	Deaths ages 15-34	Adjusted Rate ages 15-34	Deaths ages 15-34	Adjusted Rate ages 15-34
San Diego County	53	6.1	53	5.9	49	5.3
Region						
N. Coastal	5	3.2	7	4.6	8	5.5
N. Central	4	1.8	6	2.9	7	3.7
Central	23	14.1	21	11.9	15	8.6
South	7	5.7	8	6.3	3	*
East	9	7.3	6	4.8	9	7.2
N. Inland	5	3.9	4	*	4	*
Gender						
Male	42	9.0	46	9.5	39	7.9
Female	11	2.7	7	1.7	10	2.4
Race/Ethnicity						
Hispanic	18	6.4	19	6.2	21	6.5
White	19	4.6	17	4.0	14	3.5
Black	11	20.6	12	22.4	10	18.0
Asian/Other	5	4.0	4	*	4	*
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
15-19	14	7.0	10	4.9	8	3.7
20-24	16	6.9	19	8.1	13	5.5
25-29	12	5.4	13	5.8	14	6.2
30-34	11	5.0	11	4.9	14	6.1

All rates are per 100,000 population aged 15-34. Adjusted rates are age-adjusted to 2000 Standard U.S. Population.

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 12a**Deaths Due to Motor Vehicle Accidents** Among San Diego County Residents, 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

Geographic Level	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
San Diego County	218	7.6	295	10.1	314	10.7
Region						
N. Coastal	34	7.1	71	14.2	57	11.2
N. Central	34	5.8	39	6.5	43	7.7
Central	34	7.8	35	7.8	47	10.5
South	32	8.2	42	10.4	44	11.0
East	37	8.1	46	10.3	48	10.6
N. Inland	36	7.7	55	11.2	67	13.5
Gender						
Male	163	11.4	224	15.3	232	15.8
Female	55	3.9	71	4.9	82	5.6
Race/Ethnicity						
Hispanic	53	8.2	75	10.2	84	14.5
White	140	8.4	176	10.8	191	11.8
Black	12	8.3	15	9.8	20	11.5
Asian/Other	13	3.3	29	8.9	18	5.3
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	2	*	0	*	4	*
5-14	11	2.7	9	2.2	8	1.9
15-24	52	12.1	92	20.9	91	20.2
25-34	34	7.7	51	11.3	46	10.0
35-44	35	7.7	35	7.6	41	8.9
45-54	26	7.4	40	11.0	36	9.6
55-64	16	7.8	17	8.1	35	15.6
65-74	16	10.0	17	10.6	22	13.8
75-84	18	15.3	24	20.1	15	12.4
85+	4	*	9	23.6	15	37.3

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

** this looks at motor vehicle crashes consistent with how the National Center for Health Statistics (NCHS) groups rankable causes of death. This is not consistent with the HP2010 definition, which only looks at MVC on public roads.

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 12b.

Deaths Due to Motor Vehicle Accidents Among San Diego County Residents, 2000-2002**

Region by Race

Geographic Level	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
N. Coastal						
Hispanic	5	8.1	24	21.5	14	22.0
White	27	8.5	39	12.5	37	11.4
Black	1	*	0	*	3	*
Asian/Other	1	*	8	30.4	3	*
N. Central						
Hispanic	2	*	4	*	6	13.6
White	27	6.6	27	6.9	30	7.8
Black	2	*	5	33.3	3	*
Asian/Other	3	*	3	*	4	*
Central						
Hispanic	8	6.1	11	9.3	12	8.6
White	17	9.7	12	6.9	25	16.6
Black	5	8.0	7	10.0	8	11.1
Asian/Other	4	*	5	7.1	2	*
South						
Hispanic	15	7.6	16	8.2	22	12.0
White	12	9.1	23	18.9	19	15.0
Black	1	*	1	*	1	*
Asian/Other	4	*	2	*	2	*
East						
Hispanic	11	13.0	5	6.4	9	14.3
White	25	7.9	36	11.1	34	11.0
Black	0	*	1	*	3	*
Asian/Other	1	*	4	*	2	*
N. Inland						
Hispanic	10	13.0	13	8.5	21	20.8
White	25	8.1	35	10.9	41	14.0
Black	1	*	0	*	0	*
Asian/Other	0	*	7	14.1	5	12.0

All rates are per 100,000 (in this case, by region and race) and are adjusted to 2000 Standard U.S. Population
 Note: Hispanic/Latino is of any race. If not Hispanic, deaths with other, refused, "two or more" or missing race are omitted.

* rate not calculated for fewer than 5 deaths in this category

** this looks at motor vehicle crashes consistent with how the National Center for Health Statistics (NCHS) groups

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1,

Prepared by Community Epidemiology 04/09/04

Table 12c.**Deaths Attributed to Motor Vehicle Crashes** Among San Diego County Residents, 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
San Diego County	206	7.2	287	9.9	308	10.5
Region						
N. Coastal	31	6.5	70	14.0	55	10.8
N. Central	32	5.5	37	6.2	43	7.7
Central	34	7.8	35	7.8	47	10.5
South	30	7.6	42	10.4	42	10.6
East	34	7.4	45	10.1	46	10.1
N. Inland	34	7.2	51	10.4	67	13.5
Gender						
Male	157	10.9	218	14.9	226	15.5
Female	49	3.5	69	4.8	82	5.6
Race/Ethnicity						
Hispanic	52	7.9	75	10.2	81	14.2
White	130	7.7	169	10.3	188	11.6
Black	12	8.3	15	9.8	20	11.5
Asian/Other	12	3.0	28	8.6	19	5.3
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	2	*	0	*	3	*
5-14	11	2.7	8	1.9	8	1.9
15-24	48	11.1	88	20.0	88	19.5
25-34	33	7.4	51	11.3	45	9.8
35-44	33	7.2	34	7.4	40	8.7
45-54	26	7.4	40	11.0	36	9.6
55-64	13	6.4	17	8.1	35	15.6
65-74	15	9.4	16	10.0	22	13.8
75-84	17	14.5	23	19.3	15	12.4
85+	4	*	9	23.6	15	37.3

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

** this is motor vehicle crashes that occur on public roads only, consistent with HP2010 goals.

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 12d.

Deaths Attributed to Motor Vehicle Crashes Among San Diego County Residents, 2000-2002**

Region by Race

Geographic Level	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
N. Coastal						
Hispanic	4	*	24	21.5	13	21.4
White	25	7.8	38	12.2	36	11.1
Black	1	*	0	*	3	*
Asian/Other	1	*	8	30.4	3	*
N. Central						
Hispanic	2	*	4	*	6	13.6
White	25	6.1	25	6.3	30	7.8
Black	2	*	5	33.3	3	*
Asian/Other	3	*	3	*	4	*
Central						
Hispanic	8	6.1	11	9.3	12	8.6
White	17	9.7	12	6.9	25	16.6
Black	5	8.0	7	10.0	8	11.1
Asian/Other	4	*	5	7.1	2	*
South						
Hispanic	15	7.6	16	8.2	20	11.4
White	10	7.9	23	18.9	19	15.0
Black	1	*	1	*	1	*
Asian/Other	4	*	2	*	2	*
East						
Hispanic	11	13.0	5	6.4	9	14.3
White	23	7.2	35	10.7	32	10.3
Black	0	*	1	*	3	*
Asian/Other	0	*	4	*	2	*
N. Inland						
Hispanic	10	13.0	13	8.5	21	20.8
White	23	7.5	32	10.0	41	14.0
Black	1	*	0	*	0	*
Asian/Other	0	*	6	11.4	5	12.0

All rates are per 100,000 (in this case, by region and race) and are adjusted to 2000 Standard U.S. Population
 Note: Hispanic/Latino is of any race. If not Hispanic, deaths with other, refused, "two or more" or missing race are omitted.

* rate not calculated for fewer than 5 deaths in this category

** this is motor vehicle crashes that occur on public roads only, consistent with HP2010 goals.

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1,

Prepared by Community Epidemiology 04/09/04

Table 13.**Pedestrian Deaths Attributed to Motor Vehicle Crashes Among San Diego County Residents, 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
San Diego County	51	1.8	60	2.1	80	2.9
Region						
N. Coastal	6	1.3	7	1.4	9	1.8
N. Central	4	*	3	*	12	2.3
Central	17	4.3	13	2.9	23	5.8
South	5	1.4	10	2.7	12	3.3
East	8	1.8	15	3.4	10	2.2
N. Inland	6	1.3	9	1.8	13	2.6
Gender						
Male	39	2.8	43	3.2	52	4.0
Female	12	0.9	17	1.2	28	1.9
Race/Ethnicity						
Hispanic	14	2.5	20	3.1	29	6.9
White	31	1.7	29	1.7	41	2.4
Black	3	*	3	*	6	4.2
Asian/Other	3	*	8	2.9	4	*
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	0	*	0	*	1	*
5-14	5	1.2	6	1.4	1	*
15-24	3	*	5	1.1	8	1.8
25-34	8	1.8	14	3.1	12	2.6
35-44	8	1.7	5	1.1	8	1.7
45-54	8	2.3	12	3.3	10	2.7
55-64	2	*	3	*	11	4.9
65-74	7	4.4	6	3.8	14	8.8
75-84	5	4.3	5	4.2	9	7.4
85+	3	*	4	*	6	14.9

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 14.**Poisoning Deaths Among San Diego County Residents, 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
San Diego County	273	9.7	247	8.8	279	9.7
Region						
N. Coastal	31	6.6	38	8.0	32	6.6
N. Central	46	8.2	44	7.8	36	6.1
Central	70	16.5	65	14.7	80	17.9
South	39	10.3	20	5.2	34	8.8
East	49	10.9	41	9.0	49	10.7
N. Inland	28	5.7	24	4.9	35	7.0
Gender						
Male	191	13.5	153	10.8	182	12.4
Female	82	6.0	94	6.7	97	6.8
Race/Ethnicity						
Hispanic	45	6.7	42	6.5	38	5.4
White	206	12.4	183	11.0	202	12.0
Black	15	9.6	13	9.0	24	15.5
Asian/Other	6	2.0	9	2.6	15	4.2
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	1	*	0	*	1	*
5-14	0	*	1	*	0	*
15-24	12	2.8	12	2.7	18	4.0
25-34	43	9.7	42	9.3	47	10.2
35-44	110	24.1	80	17.4	74	16.1
45-54	72	20.4	84	23.0	99	26.3
55-64	18	8.8	17	8.1	29	12.9
65-74	4	*	9	5.6	5	3.1
75-84	6	5.1	1	*	5	4.1
85+	4	*	1	*	0	*

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 15.**Stroke Deaths Among San Diego County Residents, 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

Geographic Level	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
San Diego County	1,578	63.9	1,616	63.8	1,459	55.7
Region						
N. Coastal	226	51.6	226	49.4	256	53.4
N. Central	273	56.2	296	59.1	251	48.7
Central	244	73.5	264	81.3	211	64.3
South	199	67.3	217	72.2	176	55.6
East	306	75.2	300	71.5	252	58.6
N. Inland	328	65.0	309	58.4	308	55.5
Gender						
Male	649	66.0	656	65.0	590	55.7
Female	929	62.0	960	62.2	869	54.8
Race/Ethnicity						
Hispanic	169	65.2	162	61.9	134	46.9
White	1,236	62.0	1,276	62.4	1,162	55.9
Black	66	96.9	73	99.6	63	84.2
Asian/Other	107	56.2	105	54.4	99	46.5
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	1	*	1	*	2	*
5-14	0	*	1	*	1	*
15-24	2	*	1	*	4	*
25-34	11	2.5	7	1.6	7	1.5
35-44	23	5.0	15	3.3	23	5.0
45-54	55	15.6	46	12.6	45	12.0
55-64	81	39.6	82	38.8	55	24.5
65-74	219	136.8	205	128.2	188	117.7
75-84	559	476.6	564	472.4	517	426.2
85+	627	1,722.2	694	1,817.4	617	1,534.7

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Prepared on: 9/24/04

Table 16.**Deaths From Suffocation Among San Diego County Residents, 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
San Diego County	84	3.0	76	2.7	89	3.1
Region						
N. Coastal	8	1.6	6	1.2	15	3.0
N. Central	18	3.3	12	2.2	15	2.7
Central	20	4.2	26	5.8	20	4.3
South	16	4.4	7	1.9	12	3.1
East	12	2.8	12	2.7	12	2.7
N. Inland	7	1.4	11	2.2	11	2.2
Gender						
Male	64	4.7	63	4.5	66	4.6
Female	20	1.4	13	0.9	23	1.6
Race/Ethnicity						
Hispanic	15	2.0	14	2.1	17	2.0
White	53	3.2	49	3.0	57	3.4
Black	10	6.5	6	3.8	4	*
Asian/Other	6	1.7	7	1.8	11	2.9
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	2	*	3	*	3	*
5-14	1	*	0	*	3	*
15-24	13	3.0	10	2.3	12	2.7
25-34	16	3.6	12	2.7	16	3.5
35-44	16	3.5	21	4.6	20	4.4
45-54	15	4.3	14	3.8	12	3.2
55-64	7	3.4	5	2.4	9	4.0
65-74	5	3.1	6	3.8	4	*
75-84	6	5.1	2	*	4	*
85+	3	*	3	*	6	14.9

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 17a.

Suicide Deaths Among San Diego County Residents, 2000-2002

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
San Diego County	333	12.2	314	11.3	308	10.8
Region						
N. Coastal	49	10.5	48	10.0	48	9.8
N. Central	80	14.4	58	10.5	49	8.6
Central	54	12.8	72	16.0	56	12.5
South	39	10.8	36	10.4	34	8.5
East	56	12.6	50	11.2	56	12.4
N. Inland	50	10.4	42	8.6	54	10.7
Gender						
Male	254	19.3	235	17.8	230	16.7
Female	79	5.8	79	5.6	78	5.4
Race/Ethnicity						
Hispanic	32	5.0	34	5.5	40	6.0
White	262	15.5	250	14.8	235	13.8
Black	19	11.6	11	6.4	10	6.2
Asian/Other	20	5.8	19	4.9	22	5.6
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	0	*	0	*	0	*
5-14	1	*	3	*	2	*
15-24	40	9.3	32	7.3	35	7.8
25-34	52	11.7	49	10.9	49	10.7
35-44	71	15.5	69	15.0	64	13.9
45-54	71	20.1	65	17.8	60	15.9
55-64	34	16.6	34	16.1	48	21.4
65-74	23	14.4	27	16.9	15	9.4
75-84	27	23.0	25	20.9	19	15.7
85+	14	38.5	10	26.2	15	37.3
Selected Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
Youth						
10-14	1	*	3	*	2	*
15-19	13	6.5	11	5.3	11	5.2
20-24	27	11.7	21	9.0	24	10.1
Older Adults						
55+	98	18.9	96	18.2	97	17.8

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 17b.**Suicides Among San Diego County Youth (15-24 yrs) Residents, 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Deaths ages 15-24	Adjusted Rate ages 15-24	Deaths ages 15-24	Adjusted Rate ages 15-24	Deaths ages 15-24	Adjusted Rate ages 15-24
San Diego County	40	9.0	32	7.1	35	7.5
Region						
N. Coastal	6	7.7	7	9.2	7	8.2
N. Central	9	10.5	4	*	6	6.6
Central	7	8.1	7	8.0	5	6.1
South	4	*	2	*	3	*
East	8	13.1	10	15.9	6	9.4
N. Inland	3	*	0	*	5	7.2
Gender						
Male	35	14.2	24	10.0	27	10.6
Female	5	2.7	8	3.8	8	3.8
Race/Ethnicity						
Hispanic	7	4.6	2	*	8	4.9
White	25	12.1	23	11.3	24	11.6
Black	6	21.5	3	*	1	*
Asian/Other	2	*	4	*	2	*
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
15-19	13	6.5	11	5.3	11	5.2
20-24	27	11.7	21	9.0	24	10.1

All rates are per 100,000 population aged 15-24. Adjusted rates are age-adjusted to 2000 Standard U.S. Population.

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 17c.**Suicides Among San Diego County Adults (Ages 55+), Residents, 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Deaths ages 55+	Adjusted Rate ages 55+	Deaths ages 55+	Adjusted Rate ages 55+	Deaths ages 55+	Adjusted Rate ages 55+
San Diego County	98	18.7	96	18.1	97	17.6
Region						
N. Coastal	16	17.1	15	15.5	17	17.1
N. Central	24	22.4	22	20.2	20	17.5
Central	14	20.3	15	21.8	10	14.4
South	12	18.0	16	23.7	10	13.8
East	12	13.7	15	16.9	19	20.8
N. Inland	20	20.0	12	11.7	20	18.5
Gender						
Male	69	30.5	81	34.7	74	30.2
Female	29	10.3	15	5.2	23	7.5
Race/Ethnicity						
Hispanic	3	*	5	7.4	7	9.2
White	90	22.8	88	22.4	85	21.1
Black	1	*	0	*	1	*
Asian/Other	4	*	3	*	4	*
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
55-59	24	21.0	24	20.2	29	22.5
60-64	10	11.1	10	10.8	19	19.9
65-69	12	14.7	16	19.6	7	8.5
70-74	11	14.0	11	14.1	8	10.3
75+	41	26.7	35	22.2	34	21.1

All rates are per 100,000 population aged 55+. Adjusted rates are age-adjusted to 2000 Standard U.S. Population.

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 18a.

Unintentional Injury Deaths Among San Diego County Residents, 2000-2002

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Deaths	Adjusted Rate	Deaths	Adjusted Rate	Deaths	Adjusted Rate
San Diego County	727	26.3	715	25.3	782	27.4
Region						
N. Coastal	102	21.7	128	26.2	121	24.1
N. Central	123	22.8	113	20.1	113	20.4
Central	142	33.3	124	29.0	149	35.1
South	96	26.3	78	20.2	114	29.7
East	123	27.9	112	25.1	116	25.8
N. Inland	100	20.7	127	25.6	141	27.5
Gender						
Male	516	38.4	516	37.4	544	39.4
Female	211	14.9	199	13.6	238	15.9
Race/Ethnicity						
Hispanic	152	25.4	155	24.5	156	26.4
White	507	29.8	466	27.2	527	30.7
Black	35	27.8	45	32.2	53	35.1
Asian/Other	31	9.3	48	16.0	44	14.3
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	18	9.1	6	3.1	14	7.1
5-14	19	4.6	14	3.3	11	2.6
15-24	97	22.5	117	26.6	122	27.0
25-34	85	19.2	104	23.1	95	20.7
35-44	164	35.9	125	27.3	121	26.3
45-54	111	31.5	134	36.7	146	38.8
55-64	46	22.5	56	26.5	75	33.5
65-74	44	27.5	41	25.6	50	31.3
75-84	76	64.8	64	53.6	81	66.8
85+	59	162.1	49	128.3	63	156.7
Selected Age Group	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-19	82	10.1	64	7.8	73	8.8

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 18b.

Unintentional Injury Deaths Among San Diego County Residents, Ages 0-19, 2000-2002

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Deaths ages 0-19	Adjusted Rate ages 0-19	Deaths ages 0-19	Adjusted Rate ages 0-19	Deaths ages 0-19	Adjusted Rate ages 0-19
San Diego County	82	13.4	64	10.3	73	11.4
Region						
N. Coastal	11	10.6	16	15.6	9	8.4
N. Central	9	8.8	9	9.0	3	*
Central	19	17.5	6	5.5	13	11.7
South	15	16.0	9	9.3	17	17.0
East	15	15.4	11	11.1	17	16.9
N. Inland	10	9.2	13	11.5	14	11.8
Gender						
Male	52	16.3	53	16.3	51	15.3
Female	30	10.1	11	3.7	22	7.2
Race/Ethnicity						
Hispanic	35	15.7	23	10.1	26	11.2
White	32	12.3	26	9.7	36	13.2
Black	6	15.2	9	22.8	6	14.9
Asian/Other	9	10.1	6	6.6	5	5.4
Age Groups	Deaths	Age-specific rate	Deaths	Age-specific rate	Deaths	Age-specific rate
0-4	18	9.1	6	3.1	14	7.1
5-9	13	6.1	7	3.3	4	1.9
10-14	6	3.0	7	3.4	7	3.3
15-19	45	22.5	44	21.4	48	22.5

All rates are per 100,000 population aged 0-19. Adjusted rates are age-adjusted to 2000 Standard U.S. Population.

* rate not calculated for fewer than 5 deaths in this category

Source: State of California, Department of Health Services, Death Statistical Master Files; SANDAG January 1, population estimates

Prepared by Community Epidemiology

Table 19a.**Asthma Hospitalizations Among San Diego County Residents 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
San Diego County	2,463	89.1	2,418	87.0	2,416	85.6
Region						
N. Coastal	236	50.0	280	59.4	264	54.7
N. Central	355	70.4	307	59.5	339	64.2
Central	641	142.5	737	165.2	688	151.7
South	421	111.2	330	85.8	370	94.3
East	459	102.5	412	92.3	419	93.7
N. Inland	351	70.6	352	70.8	336	67.4
Gender						
Male	1,059	75.6	1,043	74.6	1,057	75.2
Female	1,404	101.3	1,375	97.5	1,359	95.1
Race/Ethnicity						
White	1,186	80.8	1,100	71.8	1,112	73.8
Black	367	234.8	409	276.0	377	244.6
Hispanic	645	88.8	663	86.5	662	87.1
Asian/Other	232	71	221	66.5	231	68.0
	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate
Age Groups						
0-4	605	304.6	593	303.1	612	309.4
5-14	448	108.6	364	87.1	370	88.1
15-24	145	33.7	124	28.2	134	29.7
25-34	194	43.8	181	40.2	160	34.9
35-44	298	65.2	321	70.0	275	59.9
45-54	263	74.6	283	77.5	317	84.2
55-64	163	79.6	179	84.8	199	88.8
65-74	180	112.5	148	92.6	159	99.6
75-84	126	107.4	161	134.9	132	108.8
85+	41	112.6	64	167.6	58	144.3

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Asthma includes hospitalizations with a primary ICD-9-CM code of 493

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 19b.**Asthma Hospitalizations Among San Diego County Residents 2000-2002**

Region by Race

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
N. Coastal						
Hispanic	39	34.3	69	68.0	56	48.4
White	157	52.9	163	52.6	161	54.2
Black	18	79.7	20	152.5	23	126.5
Asian/Other	17	42.3	24	65.2	21	52.7
N. Central						
Hispanic	56	79.1	54	71.8	54	77.1
White	223	65.3	181	52.0	198	56.4
Black	33	162.1	28	155.0	29	155.9
Asian/Other	42	61.4	39	52.6	54	68.1
Central						
Hispanic	196	102.4	224	110.8	232	126.2
White	148	122.1	170	138.7	138	111.2
Black	221	318.9	258	389.2	235	347.2
Asian/Other	67	87.8	77	104.3	73	99.9
South						
Hispanic	212	121.0	175	93.2	195	100.0
White	120	108.1	78	65.8	107	93.0
Black	28	133.7	45	243.6	21	107.6
Asian/Other	53	97.8	31	54.8	40	64.9
East						
Hispanic	65	79.4	68	80.5	55	65.6
White	304	100.8	274	89.4	291	97.0
Black	53	219.8	43	160.4	53	235.2
Asian/Other	29	75.1	23	69.6	15	37.2
N. Inland						
Hispanic	77	58.3	73	59.4	70	58.3
White	234	79.8	234	75.1	217	71.5
Black	14	146.5	15	162.2	16	175.4
Asian/Other	24	46.0	27	53.3	28	59.0

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Asthma includes hospitalizations with a primary ICD-9-CM code of 493

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 19c.**Asthma Hospitalizations Among San Diego County Residents, Children Less than 5, Children and Adults Ages 5-64, and Adults 65 and Older 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

Children Less than 5

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
San Diego County	605	304.6	593	303.1	612	309.4
Region						
N. Coastal	62	175.8	60	175.6	65	192.7
N. Central	79	249.4	87	254.1	100	265.7
Central	150	417.2	190	535.4	168	458.9
South	88	302.5	86	306.5	99	346.8
East	123	395.6	75	250.2	93	318.4
N. Inland	103	289.9	95	281.7	87	271.1
Gender						
Male	395	388.9	390	394.1	407	409.4
Female	210	216.4	203	209.9	205	208.3
Race/Ethnicity						
White	227	292.0	170	215.7	209	260.2
Black	62	504.0	72	588.0	76	621.4
Hispanic	238	296.5	278	369.0	262	346.6
Asian/Other	72	254.2	68	232.6	62	208.9

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Asthma includes hospitalizations with a primary ICD-9-CM code of 493

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 19c.**Asthma Hospitalizations Among San Diego County Residents, Children Less than 5, Children and Adults Ages 5-64, and Adults 65 and Older 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

Children and Adults Ages 5-64

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
San Diego County	1511	67.1	1,452	63.7	1,455	62.8
Region						
N. Coastal	128	34.2	162	42.8	156	39.6
N. Central	209	49.9	169	39.9	180	42.9
Central	434	119.0	470	129.2	458	124.8
South	255	82.0	180	56.2	197	60.3
East	284	77.4	273	73.9	278	74.7
N. Inland	201	50.8	198	49.5	186	44.9
Gender						
Male	567	48.9	557	47.7	542	45.8
Female	944	85.3	895	79.7	913	79.8
Race/Ethnicity						
White	740	61.2	692	55.8	688	55.8
Black	290	220.9	306	237.5	282	218.5
Hispanic	347	56.6	331	50.8	342	55.0
Asian/Other	111	38.6	108	37.3	119	39.5
	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate
Age Groups						
5-14	448	108.6	364	87.1	370	88.1
15-24	145	33.7	124	28.2	134	29.7
25-34	194	43.8	181	40.2	160	34.9
35-44	298	65.2	321	70.0	275	59.8
45-54	263	74.5	283	77.5	317	84.2
55-64	163	79.6	179	84.8	199	88.8

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Asthma includes hospitalizations with a primary ICD-9-CM code of 493

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 19c.

Asthma Hospitalizations Among San Diego County Residents, Children Less than 5, Children and Adults Ages 5-64, and Adults 65 and Older 2000-2002

By Region, Gender, Race/Ethnicity, and Age Group

Adults 65 and Older

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
San Diego County	347	110.7	373	116.8	349	108.3
Region						
N. Coastal	46	81.7	58	101.7	43	75.1
N. Central	67	103.0	51	77.8	59	89.5
Central	57	141.9	77	192.3	62	155.0
South	78	192.5	64	154.0	74	172.1
East	52	101.9	64	123.1	48	91.1
N. Inland	47	76.9	59	91.0	63	98.6
Gender						
Male	97	74.1	96	71.4	108	79.6
Female	250	139.5	277	149.5	241	130.2
Race/Ethnicity						
White	219	89.6	238	95.3	215	86.5
Black	15	175.6	31	350.4	19	204.8
Hispanic	60	180.3	54	159.0	58	149.8
Asian/Other	49	176.6	45	161.3	50	172.3
	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate
Age Groups						
65-74	180	112.5	148	92.5	159	99.6
75-84	126	107.4	161	134.8	132	108.8
85+	41	112.6	64	167.6	58	144.3

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Asthma includes hospitalizations with a primary ICD-9-CM code of 493

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 19d.**Asthma Hospitalizations Among San Diego County Residents, Children Less than 5, Children and Adults Ages 5-64, and Adults 65 and Older 2000-2002**

Region by Race

Children Less than 5

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
N. Coastal						
Hispanic	17	127.2	30	238.5	21	167.1
White	34	202.1	19	115.3	33	205.0
Black	1	*	4	*	4	*
Asian/Other	9	261.6	5	142.4	6	171.1
N. Central						
Hispanic	31	542.1	20	337.7	29	440.3
White	37	211.9	44	229.5	38	179.3
Black	2	*	8	539.4	9	553.9
Asian/Other	9	126.5	15	195.9	23	279.3
Central						
Hispanic	82	406.0	106	566.2	93	502.7
White	18	416.0	18	333.8	21	311.9
Black	33	610.8	39	740.5	42	810.7
Asian/Other	16	265.5	25	409.3	12	193.8
South						
Hispanic	46	245.6	60	343.4	66	371.1
White	17	338.0	6	117.6	17	324.2
Black	6	475.1	11	839.7	7	537.6
Asian/Other	17	417.4	9	215.5	9	213.4
East						
Hispanic	27	318.0	21	267.3	21	273.2
White	65	374.4	39	231.4	57	349.2
Black	17	872.7	10	523.6	10	533.9
Asian/Other	12	364.5	5	148.8	5	150.4
N. Inland						
Hispanic	35	254.5	41	320.6	32	256.5
White	56	334.8	44	278.1	43	291.8
Black	3	*	0	*	4	*
Asian/Other	9	205.3	9	203.3	7	166.6

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Asthma includes hospitalizations with a primary ICD-9-CM code of 493

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 19d.**Asthma Hospitalizations Among San Diego County Residents, Children Less than 5, Children and Adults Ages 5-64, and Adults 65 and Older 2000-2002**

Region by Race

Children and Adults Ages 5-64

Geographic Level	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
N. Coastal						
Hispanic	18	19.1	31	34.7	32	35.3
White	83	35.7	99	41.4	91	37.9
Black	17	93.7	12	78.8	18	115.8
Asian/Other	7	25.5	18	62.0	13	42.6
N. Central						
Hispanic	22	37.9	33	54.9	21	41.3
White	138	49.4	103	35.2	117	42.5
Black	31	189.1	19	121.0	19	116.9
Asian/Other	17	23.8	12	16.0	20	26.7
Central						
Hispanic	104	69.4	110	69.5	129	89.6
White	111	102.2	122	120.7	96	96.3
Black	174	303.9	193	343.6	179	321.1
Asian/Other	39	60.8	40	66.3	48	75.0
South						
Hispanic	131	84.2	83	47.5	97	58.2
White	76	85.2	50	55.4	65	69.1
Black	22	125.4	34	230.7	14	87.5
Asian/Other	20	43.4	12	24.6	16	32.1
East						
Hispanic	33	48.7	44	65.3	30	43.7
White	195	77.4	180	71.9	193	76.3
Black	35	180.8	33	154.4	41	214.7
Asian/Other	15	48.5	13	44.8	9	28.6
N. Inland						
Hispanic	39	34.5	30	35.9	33	33.4
White	137	58.3	138	55.1	126	50.1
Black	11	143.3	15	201.7	11	135.6
Asian/Other	13	28.4	13	27.5	13	27.5

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Asthma includes hospitalizations with a primary ICD-9-CM code of 493

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 19d.**Asthma Hospitalizations Among San Diego County Residents, Children Less than 5, Children and Adults Ages 5-64, and Adults 65 and Older 2000-2002**

Region by Race

Adults 65 and Older

Geographic Level	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
N. Coastal						
Hispanic	4	*	8	187.1	3	*
White	40	80.8	45	89.7	37	75.2
Black	0	*	4	*	1	*
Asian/Other	1	*	1	*	2	*
N. Central						
Hispanic	3	*	1	*	4	*
White	48	86.2	34	61.8	43	77.7
Black	0	*	1	*	1	*
Asian/Other	16	265.1	12	207.4	11	216.0
Central						
Hispanic	10	146.3	8	124.7	10	153.5
White	19	88.3	30	146.9	21	96.2
Black	14	254.2	26	487.0	14	259.5
Asian/Other	12	162.8	12	179.1	13	207.4
South						
Hispanic	35	287.4	32	253.1	32	217.6
White	27	128.6	22	103.6	25	118.4
Black	0	*	0	*	0	*
Asian/Other	16	269.3	10	159.3	15	192.7
East						
Hispanic	5	143.7	3	*	4	*
White	44	99.8	55	123.0	41	90.8
Black	1	*	0	*	2	*
Asian/Other	2	*	5	184.1	1	*
N. Inland						
Hispanic	3	*	2	*	5	108.3
White	41	77.6	52	91.1	48	87.1
Black	0	*	0	*	1	*
Asian/Other	2	*	5	135.7	8	200.7

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Asthma includes hospitalizations with a primary ICD-9-CM code of 493

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 20a.

Diabetes Hospitalizations Among San Diego County Residents 2000-2002

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
San Diego County	2,949	113.0	2,883	108.1	3,041	111.8
Region						
N. Coastal	323	71.8	367	80.5	323	68.4
N. Central	388	74.2	365	66.9	373	69.1
Central	787	210.0	698	183.6	742	196.9
South	553	164.6	551	157.5	611	166.0
East	510	118.9	482	110.4	597	134.7
N. Inland	388	81.0	420	86.2	395	78.3
Gender						
Male	1,638	134.5	1,569	125.8	1,673	130.7
Female	1,311	95.1	1,314	93.2	1,368	95.4
Race/Ethnicity						
White	1,520	88.4	1,500	87.7	1,527	88.0
Black	354	338.8	314	276.7	325	283.4
Hispanic	852	226.3	839	207.7	934	212.9
Asian/Other	196	74.8	198	73.1	220	75.3
	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate
Age Groups						
0-4	25	12.6	25	12.8	17	8.6
5-14	82	19.9	112	26.8	118	28.1
15-24	172	39.9	185	42.1	220	48.8
25-34	202	45.6	221	49.1	165	36.0
35-44	387	84.6	329	71.7	368	80.1
45-54	486	137.8	449	123.0	521	138.4
55-64	487	237.9	456	216.0	484	215.9
65-74	492	307.4	509	318.3	518	324.4
75-84	474	404.1	489	409.6	508	418.8
85+	142	390.0	108	282.8	122	303.5

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Diabetes includes hospitalizations with a primary ICD-9-CM Code of 250

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 20b.**Diabetes Hospitalizations Among San Diego County Residents 2000-2002**

Region by Race

Geographic Level	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
N. Coastal						
Hispanic	77	151.5	88	157.3	83	145.0
White	209	62.2	243	70.2	200	58.9
Black	18	278.9	17	177.8	23	188.8
Asian/Other	18	66.5	18	67.2	16	57.4
N. Central						
Hispanic	50	133.4	41	103.4	34	84.8
White	281	71.3	259	64.6	280	70.7
Black	29	258.7	12	62.3	13	118.8
Asian/Other	26	42.4	41	58.1	39	63.8
Central						
Hispanic	257	326.2	193	222.8	237	264.3
White	232	149.7	229	148.9	224	147.5
Black	236	429.0	227	393.5	191	344.1
Asian/Other	59	96.7	44	77.0	80	125.3
South						
Hispanic	318	264.5	332	262.9	360	254.5
White	149	107.1	146	104.4	174	124.4
Black	30	220.6	20	182.9	27	251.4
Asian/Other	45	92.3	48	90.6	41	69.9
East						
Hispanic	74	165.0	89	185.6	137	272.3
White	376	113.5	342	103.1	375	111.5
Black	34	261.3	31	225.0	62	373.9
Asian/Other	20	82.3	16	60.0	19	62.6
N. Inland						
Hispanic	76	146.9	96	182.0	83	145.5
White	273	77.4	281	81.6	274	75.0
Black	7	130.5	7	113.2	9	183.2
Asian/Other	28	69.2	31	76.5	25	54.3

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Diabetes includes hospitalizations with a primary ICD-9-CM Code of 250

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 21a.**Nonfatal Firearm-Related Hospitalizations Among San Diego County Residents 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
San Diego County	146	4.8	184	6.0	173	5.5
Region						
N. Coastal	16	3.1	16	3.2	25	4.5
N. Central	14	2.2	18	3.0	17	2.8
Central	61	10.8	75	13.4	60	10.4
South	15	3.5	21	4.7	30	6.5
East	24	5.4	43	9.4	29	6.3
N. Inland	16	3.5	11	2.3	12	2.4
Gender						
Male	135	8.4	162	10.0	148	8.9
Female	11	0.8	22	1.5	25	1.7
Race/Ethnicity						
White	36	2.3	52	3.4	53	3.4
Black	41	21.7	40	22.8	26	13.2
Hispanic	51	5.5	69	6.8	73	6.9
Asian/Other	13	3.0	13	3.1	16	3.5
Age Groups	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate
0-4	1	*	1	*	1	*
5-14	3	*	4	*	5	1.2
15-24	80	18.6	91	20.7	88	19.5
25-34	36	8.1	46	10.2	39	8.5
35-44	14	3.1	20	4.4	28	6.1
45-54	6	1.7	17	4.7	6	1.6
55-64	1	*	3	*	1	*
65-74	3	*	0	*	3	*
75-84	2	*	2	*	1	*
85+	0	*	0	*	1	*

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Nonfatal firearm-related injuries include hospitalizations with a primary E-Code of E922, E955(.0-.4), E965(.0-.4)

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 21b.**Nonfatal Firearm-Related Hospitalizations Among San Diego County Residents 2000-2002**

Region by Race

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
N. Coastal						
Hispanic	5	2.8	3	*	12	6.2
White	6	1.9	7	2.4	10	3.2
Black	2	*	5	19.0	1	*
Asian/Other	3	*	0	*	2	*
N. Central						
Hispanic	4	*	5	5.0	1	*
White	6	1.5	7	2.1	12	3.0
Black	2	*	3	*	3	*
Asian/Other	1	*	3	*	0	*
Central						
Hispanic	20	8.2	30	13.2	26	9.9
White	4	*	8	5.0	6	3.6
Black	30	38.7	25	34.3	17	21.9
Asian/Other	3	*	7	6.6	9	8.6
South						
Hispanic	11	5.0	14	5.4	20	8.0
White	2	*	4	*	6	5.3
Black	1	*	1	*	1	*
Asian/Other	1	*	1	*	1	*
East						
Hispanic	5	5.4	13	11.9	8	6.9
White	11	3.7	19	6.2	13	4.2
Black	6	23.5	6	23.6	4	*
Asian/Other	2	*	2	*	4	*
N. Inland						
Hispanic	6	3.8	4	*	6	3.7
White	7	2.6	7	2.7	6	2.1
Black	0	*	0	*	0	*
Asian/Other	3	*	0	*	0	*

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Nonfatal firearm-related injuries include hospitalizations with a primary E-Code of E922, E955(.0-.4), E965(.0-.4)

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 22a.**Nonfatal Head Injury Hospitalizations Among San Diego County Residents 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
San Diego County	1,955	70.5	1,868	65.8	2,082	72.1
Region						
N. Coastal	256	53.5	305	62.3	336	67.1
N. Central	362	67.3	320	57.4	374	67.8
Central	447	101.3	394	86.8	398	87.1
South	236	62.2	242	62.1	281	71.4
East	280	63.7	271	60.7	317	70.3
N. Inland	373	77.2	336	67.4	376	73.1
Gender						
Male	1,329	97.0	1,280	90.8	1,402	97.5
Female	626	44.1	588	40.6	680	45.7
Race/Ethnicity						
White	1,139	70.9	1,108	68.2	1,264	77.4
Black	113	85.2	93	58.2	88	59.9
Hispanic	517	75.2	486	68.3	522	72.3
Asian/Other	143	44.0	129	43.0	155	46.2
Age Groups	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate
0-4	139	70.0	104	53.2	119	60.2
5-14	214	51.9	172	41.2	183	43.6
15-24	363	84.3	398	90.5	444	98.4
25-34	246	55.5	257	57.1	274	59.8
35-44	241	52.7	231	50.4	237	51.6
45-54	178	50.5	166	45.5	179	47.6
55-64	116	56.7	99	46.9	116	51.7
65-74	140	87.5	120	75.0	140	87.7
75-84	172	146.7	197	165.0	220	181.4
85+	146	401.0	124	324.7	170	422.9

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Nonfatal head injuries include hospitalizations with a primary ICD-9-CM Code of 800-801, 803-804, 850-854, 870-873, 925

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 22b.**Nonfatal Head Injury Hospitalizations Among San Diego County Residents 2000-2002**

Region by Race

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
N. Coastal						
Hispanic	47	39.2	62	51.2	71	55.6
White	175	56.6	216	68.5	237	72.0
Black	16	84.3	7	27.2	4	*
Asian/Other	15	43.7	13	43.2	12	32.8
N. Central						
Hispanic	50	91.4	38	71.2	44	67.0
White	263	69.5	231	58.5	269	69.9
Black	9	68.2	9	73.7	9	57.5
Asian/Other	28	43.8	31	35.6	47	55.5
Central						
Hispanic	156	94.2	138	79.9	153	89.4
White	183	121.0	159	103.1	157	102.4
Black	60	94.5	53	76.1	48	75.3
Asian/Other	39	47.9	35	56.2	31	46.6
South						
Hispanic	117	60.5	132	68.6	122	70.9
White	92	75.6	78	61.6	119	94.4
Black	8	60.1	10	45.1	6	32.1
Asian/Other	16	26.9	15	31.2	31	54.3
East						
Hispanic	61	94.4	34	47.3	49	62.2
White	179	57.8	208	66.6	226	74.0
Black	19	124.3	8	30.7	16	67.0
Asian/Other	14	43.0	9	21.3	16	41.4
N. Inland						
Hispanic	86	89.8	82	83.4	83	72.9
White	246	75.9	216	67.1	256	77.0
Black	1	*	6	57.8	5	50.3
Asian/Other	31	68.0	26	62.2	18	34.5

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Nonfatal head injuries include hospitalizations with a primary ICD-9-CM Code of 800-801, 803-804, 850-854, 870-873, 925

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 23a.**Hip Fracture Hospitalizations Among San Diego County Residents 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
San Diego County	2,925	118.2	2,892	113.5	2,821	107.3
Region						
N. Coastal	500	113.6	527	114.2	500	103.1
N. Central	555	113.6	521	102.0	532	103.0
Central	399	121.5	346	105.4	283	86.3
South	303	102.0	326	107.8	334	106.6
East	497	121.8	443	105.7	469	109.1
N. Inland	671	130.9	729	137.6	703	128.1
Gender						
Male	802	81.8	808	77.9	831	77.9
Female	2,123	141.5	2,084	135.5	1,990	125.8
Race/Ethnicity						
White	2,552	127.8	2,475	121.9	2,391	115.4
Black	35	50.9	49	65.4	34	47.9
Hispanic	222	92.7	236	94.3	230	83.5
Asian/Other	88	48.8	71	36.2	112	57.7
Age Groups	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate
0-4	5	2.5	4	*	0	*
5-14	5	1.2	15	3.6	15	3.6
15-24	12	2.8	11	2.5	13	2.9
25-34	12	2.7	8	1.8	18	3.9
35-44	36	7.9	38	8.3	32	7.0
45-54	45	12.8	61	16.7	61	16.2
55-64	110	53.8	111	52.6	122	54.4
65-74	384	239.9	368	230.1	303	189.8
75-84	1,179	1005.3	1,171	980.8	1,114	918.4
85+	1,137	3123.0	1,105	2,893.7	1,143	2,843.1

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Hip fractures include hospitalizations with a primary ICD-9-CM Code of 820

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 23b.**Hip Fracture Hospitalizations Among San Diego County Residents 2000-2002**

Region by Race

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
N. Coastal						
Hispanic	17	67.3	17	54.2	29	79.0
White	464	118.9	492	121.9	454	107.8
Black	1	*	0	*	1	*
Asian/Other	11	66.6	11	49.5	9	39.0
N. Central						
Hispanic	28	124.8	22	102.5	18	77.2
White	500	118.3	468	106.8	471	106.9
Black	3	*	3	*	4	*
Asian/Other	20	47.8	15	32.2	23	55.3
Central						
Hispanic	47	96.3	52	90.7	42	77.6
White	310	161.0	240	124.7	193	101.4
Black	25	60.6	35	82.9	21	63.5
Asian/Other	11	24.6	14	34.2	20	57.2
South						
Hispanic	74	84.9	79	95.4	88	101.7
White	202	118.7	229	134.5	208	119.2
Black	1	*	5	94.3	5	78.4
Asian/Other	22	54.1	9	19.8	28	74.9
East						
Hispanic	21	75.3	41	141.0	23	63.6
White	469	130.5	374	103.5	429	118.0
Black	2	*	6	78.8	3	*
Asian/Other	4	*	8	46.9	7	29.1
N. Inland						
Hispanic	35	134.4	25	85.7	30	86.6
White	607	132.1	672	145.0	636	133.1
Black	3	*	0	*	0	*
Asian/Other	20	86.4	14	54.7	25	79.5

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Hip fractures include hospitalizations with a primary ICD-9-CM Code of 820

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 24a.**Nonfatal Motor Vehicle Injury Hospitalizations Among San Diego County Residents 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
San Diego County	2,666	93.3	2,559	88.1	2,764	92.9
Region						
N. Coastal	364	75.2	384	78.6	377	73.4
N. Central	426	72.8	424	71.1	414	70.5
Central	556	116.1	516	107.8	520	106.5
South	411	105.7	375	93.5	416	99.6
East	491	111.3	424	94.0	550	120.9
N. Inland	417	87.9	436	89.2	487	96.6
Gender						
Male	1,586	109.5	1,519	103.4	1,685	111.0
Female	1,080	76.7	1,040	72.4	1,079	73.9
Race/Ethnicity						
White	1,388	86.3	1,399	86.9	1,495	92.9
Black	169	105.3	152	99.0	155	92.4
Hispanic	791	112.9	687	95.4	732	95.6
Asian/Other	250	71.4	221	62.8	262	69.5
Age Groups	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate
0-4	35	17.6	21	10.7	18	9.1
5-14	92	22.3	68	16.2	98	23.4
15-24	730	169.4	685	155.8	787	174.5
25-34	542	122.3	507	112.6	545	118.9
35-44	430	94.0	427	93.1	438	95.3
45-54	324	91.8	348	95.3	350	93.0
55-64	190	92.8	172	81.5	184	82.1
65-74	131	81.9	133	83.2	131	82.1
75-84	139	118.5	153	128.2	154	127.0
85+	53	145.6	45	117.8	59	146.8

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Nonfatal motor vehicle injuries include hospitalizations with a primary E-Code of E810-819(.0,.1,.2,.3),

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 24b.**Nonfatal Motor Vehicle Injury Hospitalizations Among San Diego County Residents 2000-2002**

Region by Race

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
N. Coastal						
Hispanic	87	83.9	73	64.9	89	76.0
White	239	76.7	257	82.3	246	76.8
Black	18	90.7	22	104.0	17	68.5
Asian/Other	14	35.5	21	61.3	13	32.9
N. Central						
Hispanic	79	116.3	53	87.8	50	78.6
White	273	68.2	301	74.5	266	67.1
Black	15	97.5	13	98.0	14	81.4
Asian/Other	49	55.0	39	39.0	66	67.9
Central						
Hispanic	210	127.0	198	111.6	183	101.5
White	166	104.3	154	94.2	156	105.0
Black	87	124.6	62	93.2	85	121.1
Asian/Other	74	88.3	72	101.5	69	89.0
South						
Hispanic	210	111.8	205	104.2	213	103.0
White	122	104.3	97	78.7	139	112.0
Black	21	101.1	20	112.9	12	50.9
Asian/Other	50	92.5	44	72.6	41	64.1
East						
Hispanic	112	160.8	73	97.6	87	117.8
White	310	99.2	285	92.3	365	118.4
Black	25	98.6	25	107.8	18	77.4
Asian/Other	30	85.0	20	57.2	41	112.4
N. Inland						
Hispanic	93	89.6	85	89.5	110	82.4
White	277	92.6	305	101.0	323	105.7
Black	3	*	10	94.2	9	84.1
Asian/Other	33	67.5	25	45.0	32	58.5

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Nonfatal motor vehicle injuries include hospitalizations with a primary E-Code of E810-819(.0,.1,.2,.3),

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 25a.**Nonfatal Pedestrian Injury Hospitalizations Among San Diego County Residents 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
San Diego County	367	13.2	363	12.7	396	13.8
Region						
N. Coastal	46	9.8	48	9.7	48	9.7
N. Central	51	9.3	57	10.0	68	12.1
Central	125	27.9	115	24.7	125	28.7
South	57	15.1	51	12.9	53	13.3
East	54	12.1	53	11.8	58	12.8
N. Inland	35	7.2	39	7.9	44	8.6
Gender						
Male	229	16.3	221	15.4	245	16.8
Female	139	9.9	142	9.9	151	10.6
Race/Ethnicity						
White	170	10.8	171	10.7	183	11.5
Black	42	25.8	36	21.7	28	17.2
Hispanic	129	20.7	113	15.5	138	19.1
Asian/Other	19	6.2	33	9.7	40	11.3
Age Groups	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate
0-4	33	16.6	22	11.2	10	5.1
5-14	53	12.9	47	11.2	52	12.4
15-24	58	13.5	74	16.8	84	18.6
25-34	41	9.3	56	12.4	44	9.6
35-44	56	12.3	43	9.4	61	13.3
45-54	46	13.0	46	12.6	49	13.0
55-64	25	12.2	22	10.4	31	13.8
65-74	27	16.9	23	14.4	39	24.4
75-84	23	19.6	20	16.8	14	11.5
85+	5	13.7	10	26.2	12	29.9

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Nonfatal pedestrian injuries include hospitalizations with a primary E-Code of E810-E819(.7)

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 25b.**Nonfatal Pedestrian Injury Hospitalizations Among San Diego County Residents 2000-2002**

Region by Race

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
N. Coastal						
Hispanic	15	17.3	15	13.2	18	13.9
White	26	8.3	29	9.5	28	9.5
Black	2	*	2	*	1	*
Asian/Other	2	*	2	*	1	*
N. Central						
Hispanic	7	16.7	3	*	12	16.4
White	38	9.6	40	9.9	43	10.9
Black	3	*	3	*	2	*
Asian/Other	3	*	9	11.8	9	10.0
Central						
Hispanic	50	32.5	44	26.4	47	32.8
White	45	32.7	32	18.8	44	30.1
Black	21	29.9	22	30.9	17	23.9
Asian/Other	5	6.4	14	17.7	14	17.9
South						
Hispanic	28	16.9	29	14.6	34	18.1
White	16	13.6	15	11.6	8	6.4
Black	8	39.9	6	30.8	2	*
Asian/Other	5	9.0	0	*	9	14.4
East						
Hispanic	15	19.2	13	18.1	12	12.4
White	26	8.7	33	10.6	35	11.6
Black	8	30.8	2	*	4	*
Asian/Other	3	*	2	*	5	13.7
N. Inland						
Hispanic	14	17.0	9	5.9	15	12.1
White	19	6.5	22	7.7	25	7.8
Black	0	*	1	*	2	*
Asian/Other	1	*	6	14.2	2	*

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Nonfatal pedestrian injuries include hospitalizations with a primary E-Code of E810-E819(.7)

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 26a.**Nonfatal Poison Hospitalizations Among San Diego County Residents 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
San Diego County	2,265	81.0	2,365	83.2	2,261	77.9
Region						
N. Coastal	279	59.1	278	58.3	267	53.7
N. Central	383	68.4	391	68.5	338	58.7
Central	582	130.8	579	131.8	549	120.5
South	285	75.2	334	84.4	320	76.7
East	412	93.1	464	103.4	470	104.4
N. Inland	323	67.6	319	65.4	317	63.0
Gender						
Male	932	68.4	941	67.5	954	67.1
Female	1,333	95.0	1,424	99.7	1,307	89.8
Race/Ethnicity						
White	1,561	96.4	1,671	103.0	1,512	92.2
Black	168	116.3	153	114.0	188	133.7
Hispanic	370	53.2	357	50.6	396	54.4
Asian/Other	135	41.6	137	40.0	119	30.3
Age Groups	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate
0-4	83	41.8	61	31.2	55	27.8
5-14	91	22.1	69	16.5	69	16.4
15-24	395	91.7	457	103.9	429	95.1
25-34	353	79.6	356	79.1	356	77.6
35-44	479	104.8	473	103.1	464	101.0
45-54	385	109.1	439	120.3	362	96.2
55-64	173	84.5	186	88.1	192	85.6
65-74	113	70.6	137	85.7	123	77.0
75-84	137	116.8	138	115.6	146	120.4
85+	56	153.8	49	128.3	65	161.7

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Nonfatal poisonings include hospitalizations with a primary E-Code of E850-E869, E950-E952, E962, E972, E980-E982

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 26b.**Nonfatal Poison Hospitalizations Among San Diego County Residents 2000-2002**

Region by Race

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
N. Coastal						
Hispanic	42	36.8	20	16.3	27	28.8
White	213	68.1	227	71.6	201	61.6
Black	6	45.3	8	46.2	21	110.8
Asian/Other	12	43.6	19	58.5	13	29.6
N. Central						
Hispanic	27	46.5	36	63.2	29	40.7
White	294	76.1	311	78.8	261	65.8
Black	13	68.2	9	48.4	22	121.8
Asian/Other	40	47.2	26	28.1	21	20.3
Central						
Hispanic	114	74.7	106	70.6	107	65.5
White	309	205.5	327	206.6	295	187.7
Black	106	160.3	94	155.0	102	173.0
Asian/Other	46	59.4	40	56.5	30	36.2
South						
Hispanic	113	57.0	105	51.9	144	67.1
White	142	118.8	187	157.0	134	111.4
Black	12	71.4	16	94.4	12	90.3
Asian/Other	17	31.0	18	29.2	23	35.8
East						
Hispanic	39	57.2	45	64.6	50	71.6
White	336	105.5	377	120.3	367	115.1
Black	27	128.9	19	95.9	29	135.7
Asian/Other	6	24.1	14	40.7	13	35.7
N. Inland						
Hispanic	35	35.3	45	36.2	39	41.1
White	266	86.7	242	77.8	254	81.2
Black	4	*	7	121.7	2	*
Asian/Other	14	29.6	20	42.1	19	35.6

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Nonfatal poisonings include hospitalizations with a primary E-Code of E850-E869, E950-E952, E962, E972, E980-E982

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 27a.**Nonfatal Spinal Cord Injury Hospitalizations Among San Diego County Residents 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
San Diego County	104	3.7	117	4.1	122	4.3
Region						
N. Coastal	21	4.4	15	3.0	23	4.5
N. Central	16	2.7	23	4.2	21	3.7
Central	18	4.4	25	5.6	17	4.2
South	14	3.8	16	3.9	12	3.0
East	17	3.9	15	3.4	21	4.6
N. Inland	18	3.7	23	4.7	28	5.6
Gender						
Male	78	5.7	90	6.3	100	7.1
Female	26	1.9	27	1.9	22	1.5
Race/Ethnicity						
White	67	4.2	75	4.7	77	4.7
Black	4	*	11	8.0	7	4.8
Hispanic	26	4.6	22	2.8	25	3.9
Asian/Other	5	1.2	6	1.5	10	3.7
Age Groups		Age-Specific Rate		Age-Specific Rate		Age-Specific Rate
0-4	1	*	0	*	0	*
5-14	5	1.2	12	2.9	9	2.1
15-24	24	5.6	30	6.8	21	4.7
25-34	16	3.6	15	3.3	16	3.5
35-44	18	3.9	13	2.8	18	3.9
45-54	10	2.8	13	3.6	17	4.5
55-64	13	6.4	14	6.6	14	6.2
65-74	9	5.6	7	4.4	7	4.4
75-84	6	5.1	9	7.5	14	11.5
85+	2	*	4	*	6	14.9

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Nonfatal spinal cord injuries include hospitalizations with a primary ICD-9-CM Code of 806, 952

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 27b.**Nonfatal Spinal Cord Injury Hospitalizations Among San Diego County Residents 2000-2002**

Region by Race

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
N. Coastal						
Hispanic	3	*	1	*	8	9.2
White	15	4.9	12	4.0	10	3.2
Black	0	*	2	*	2	*
Asian/Other	2	*	0	*	1	*
N. Central						
Hispanic	2	*	0	*	2	*
White	13	3.2	19	5.0	13	3.1
Black	0	*	1	*	0	*
Asian/Other	0	*	2	*	5	9.4
Central						
Hispanic	8	8.3	8	4.9	2	*
White	5	2.9	9	5.2	9	5.4
Black	4	*	6	10.0	4	*
Asian/Other	1	*	1	*	2	*
South						
Hispanic	7	4.0	9	3.9	7	3.5
White	6	4.4	5	4.7	5	3.8
Black	0	*	1	*	0	*
Asian/Other	1	*	1	*	0	*
East						
Hispanic	4	*	1	*	3	*
White	12	3.9	12	4.0	16	5.0
Black	0	*	0	*	1	*
Asian/Other	1	*	1	*	1	*
N. Inland						
Hispanic	2	*	3	*	3	*
White	16	5.2	18	5.2	24	7.7
Black	0	*	1	*	0	*
Asian/Other	0	*	1	*	1	*

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Nonfatal spinal cord injuries include hospitalizations with a primary ICD-9-CM Code of 806, 952

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 28a.**Nonfatal Unintentional Injury Hospitalizations Among San Diego County Residents 2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
San Diego County	17,569	656.7	17,832	654.2	18,594	666.2
Region						
N. Coastal	2,471	535.3	2,598	550.1	2,754	561.3
N. Central	3,117	595.0	3,221	600.0	3,307	604.2
Central	3,385	823.6	3,314	806.0	3,230	784.4
South	2,300	652.9	2,289	638.8	2,477	664.5
East	3,342	776.9	3,341	762.1	3,536	796.5
N. Inland	2,949	601.0	3,069	609.3	3,290	635.1
Gender						
Male	9,042	697.2	9,235	698.5	9,758	721.1
Female	8,528	594.0	8,597	587.8	8,834	589.2
Race/Ethnicity						
White	12,030	695.5	12,288	705.5	12,686	719.7
Black	824	639.4	798	628.8	810	614.6
Hispanic	3,457	621.3	3,429	612.7	3,589	614.2
Asian/Other	973	343.1	937	324.3	1,066	351.1
Age Groups	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate	Hospitalizations	Age-Specific Rate
0-4	712	358.5	629	321.5	606	306.3
5-14	1,274	308.9	1,122	268.5	1,142	272.1
15-24	1,892	439.1	1,907	433.6	2,100	465.5
25-34	1,685	380.1	1,733	384.8	1,777	387.5
35-44	1,978	432.6	2,023	441.1	1,993	433.7
45-54	1,772	502.3	1,902	521.1	2,010	534.1
55-64	1,286	628.3	1,355	641.8	1,419	632.9
65-74	1,652	1032.1	1,755	1,097.4	1,705	1,067.9
75-84	2,986	2546.0	3,083	2,582.2	3,278	2,702.5
85+	2,332	6405.4	2,323	6,083.4	2,564	6,377.8

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Nonfatal unintentional injuries include hospitalizations with a primary E-Code of E800-E869, E880-E929

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 28b.**Nonfatal Unintentional Injury Hospitalizations Among San Diego County Residents 2000-2002**

Region by Race

Geographic Level	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
N. Coastal						
Hispanic	378	423.9	356	411.6	395	450.3
White	1,902	563.1	2,062	598.0	2,174	613.4
Black	59	327.3	53	305.1	53	317.2
Asian/Other	88	335.4	89	303.4	79	247.6
N. Central						
Hispanic	290	628.4	286	599.5	277	513.7
White	2,482	627.6	2,576	638.2	2,568	630.9
Black	70	441.5	70	564.7	89	676.6
Asian/Other	220	316.3	198	278.1	289	396.4
Central						
Hispanic	957	728.0	944	704.4	939	709.4
White	1,642	1,036.7	1,592	976.3	1,512	960.6
Black	459	741.2	448	745.1	446	753.9
Asian/Other	255	375.9	248	398.9	246	412.9
South						
Hispanic	955	606.4	1,004	647.5	1,072	674.2
White	1,047	783.7	1,010	730.0	1,107	786.0
Black	85	622.9	85	672.7	72	503.0
Asian/Other	189	387.9	157	301.0	169	312.0
East						
Hispanic	442	775.5	404	722.1	423	667.2
White	2,641	797.3	2,637	802.9	2,767	837.7
Black	123	778.9	109	627.3	117	597.9
Asian/Other	87	283.8	104	329.5	125	379.7
N. Inland						
Hispanic	435	551.6	435	491.1	483	515.0
White	2,311	643.8	2,411	669.6	2,558	695.6
Black	28	521.4	33	431.5	33	355.2
Asian/Other	134	343.8	141	335.0	158	350.4

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Nonfatal unintentional injuries include hospitalizations with a primary E-Code of E800-E869, E880-E929

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 29.**Nonfatal, Unintentional Firearm-Related Hospitalizations Among San Diego County Residents
2000-2002**

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate	Hospitalizations	Adjusted Rate
San Diego County	39	1.3	40	1.3	36	1.2
Region						
N. Coastal	4	*	4	*	9	1.6
N. Central	6	1.0	6	1.1	6	1.1
Central	12	2.1	9	1.6	9	1.6
South	5	1.2	3	*	2	*
East	7	1.6	12	2.6	7	1.5
N. Inland	5	1.1	6	1.3	3	*
Gender						
Male	38	2.4	33	2.1	34	2.1
Female	1	*	7	0.5	2	*
Race/Ethnicity						
White	17	1.1	14	0.9	20	1.3
Black	7	3.9	5	2.7	5	2.5
Hispanic	10	1.1	15	1.4	11	1.0
Asian/Other	4	*	5	1.2	0	*
Age Groups						
0-4	1	*	1	*	0	*
5-14	1	*	2	*	1	*
15-24	20	4.6	16	3.6	16	3.6
25-34	9	2.0	10	2.2	7	1.5
35-44	3	*	5	1.1	10	2.2
45-54	4	*	6	1.6	2	*
55-64	0	*	0	*	0	*
65-74	0	*	0	*	0	*
75-84	1	*	0	*	0	*
85+	0	*	0	*	0	*

All rates are per 100,000 population and are adjusted to 2000 Standard U.S. Population

Nonfatal, unintentional firearm-related injuries include hospitalizations with a primary E-Code of E922

* Rate not calculated for fewer than 5 cases in this category

Source: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data; SANDAG January 1 population estimates

Prepared by Community Epidemiology

Table 30a.

Fertility Rate, San Diego County Residents

By Region and Race/Ethnicity of Mother

Geographic Level	2000		2001		2002	
	Number	Rate	Number	Rate	Number	Rate
San Diego County	44,272	69.8	43,758	68.0	43,951	67.7
Region						
North Coastal	7,615	75.1	7,456	72.4	7,582	72.4
North Inland	7,367	72.2	7,158	68.6	7,426	70.2
North Central	6,748	51.4	6,725	50.9	6,754	51.2
Central	8,485	74.6	8,181	71.4	7,963	69.5
East	6,300	63.6	6,224	62.4	6,055	60.8
South	7,651	88.3	7,836	87.5	7,985	86.3
Race/Ethnicity						
White	16,902	53.3	16,425	52.3	16,142	52.2
African-American	2,491	69.3	2,342	64.9	2,296	63.0
Hispanic	19,347	102.2	19,354	97.2	19,594	94.5
Asian	4,189	64.1	4,150	61.8	4,225	62.0
Pacific-Islander	279	89.3	257	78.9	267	78.8
Native American	177	48.0	221	61.1	205	56.9
Other	4	*	3	*	2	*
Two or More Races	722	40.2	721	39.1	718	37.9

Notes: Fertility rates are number of live births per 1,000 population of females aged 15-44. Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Births in which the mother's region or race/ethnicity are not known are not included/shown in these respective categories.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 30b.

Fertility Rate, San Diego County Residents

Region by Race/Ethnicity

Geographic Level	2000		2001		2002	
	Number	Rate	Number	Rate	Number	Rate
North Coastal						
White	3,680	62.6	3,540	60.4	3,525	60.4
African-American	307	71.4	248	58.2	255	57.8
Hispanic	2,986	103.8	2,974	97.6	3,099	96.9
Asian	387	70.0	408	72.5	389	68.1
Pacific-Islander	64	81.8	61	77.5	70	85.7
Native American	36	71.6	33	68.2	33	67.5
Other	1	*	1	*	0	*
Two or More Races	121	46.8	131	49.9	118	43.7
North Inland						
White	3,345	56.7	3,242	55.3	3,178	54.7
African-American	127	65.3	122	58.5	123	56.8
Hispanic	3,078	109.3	2,895	96.3	3,015	94.8
Asian	614	66.9	613	63.6	697	71.4
Pacific-Islander	19	72.8	20	73.3	25	87.4
Native American	48	50.3	60	63.0	53	55.2
Other	1	*	0	*	1	*
Two or More Races	106	45.4	95	39.4	85	34.0
North Central						
White	3,793	45.8	3,746	45.7	3,717	46.1
African-American	255	60.2	255	59.5	235	54.4
Hispanic	1,220	72.4	1,256	70.7	1,293	70.5
Asian	1,244	57.6	1,241	56.1	1,280	56.8
Pacific-Islander	43	81.9	40	72.7	29	50.8
Native American	17	33.3	24	46.1	17	32.6
Other	0	*	1	*	0	*
Two or More Races	134	31.9	127	29.5	127	28.6
Central						
White	1,250	38.9	1,206	38.7	1,159	38.7
African-American	1,137	70.6	1,050	66.0	967	61.3
Hispanic	4,892	107.2	4,848	102.3	4,713	96.8
Asian	980	65.9	862	57.4	883	58.8
Pacific-Islander	66	97.1	51	69.2	55	70.2
Native American	14	27.2	23	45.8	26	51.4
Other	1	*	0	*	1	*
Two or More Races	128	36.4	129	36.5	133	37.0
East						
White	3,623	56.0	3,471	54.5	3,294	52.7
African-American	388	70.1	375	66.2	402	70.2
Hispanic	1,768	88.8	1,817	85.9	1,802	81.5
Asian	266	63.4	292	67.9	290	68.3
Pacific-Islander	40	96.4	45	105.6	45	104.7
Native American	44	52.3	57	69.4	54	67.3
Other	1	*	1	*	0	*
Two or More Races	140	42.6	130	38.4	136	39.7
South						
White	1,185	59.7	1,186	60.1	1,197	60.1
African-American	269	70.2	270	69.6	294	72.8
Hispanic	5,347	107.0	5,483	104.8	5,614	103.1
Asian	689	69.0	718	68.6	680	62.8
Pacific-Islander	47	101.5	39	80.4	42	83.7
Native American	17	47.0	24	71.2	21	64.4
Other	0	*	0	*	0	*
Two or More Races	91	44.9	103	48.0	116	50.5

Notes: Fertility rates are number of live births per 1,000 population of females aged 15-44. Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Births in which mother's region or race/ethnicity are not known are not included/shown.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 31a.

Birth Rate, San Diego County Residents

By Region and Race/Ethnicity of Mother

Geographic Level	2000		2001		2002	
	Number	Rate	Number	Rate	Number	Rate
San Diego County	44,272	15.7	43,758	15.3	43,951	15.1
Region						
North Coastal	7,615	16.0	7,456	15.5	7,582	15.3
North Inland	7,367	15.2	7,158	14.5	7,426	14.7
North Central	6,748	12.3	6,725	12.1	6,754	12.0
Central	8,485	18.0	8,181	17.3	7,963	16.7
East	6,300	14.1	6,224	13.8	6,055	13.4
South	7,651	19.6	7,836	19.6	7,985	19.3
Race/Ethnicity						
White	16,902	10.9	16,425	10.6	16,142	10.4
African-American	2,491	16.1	2,342	15.0	2,296	14.4
Hispanic	19,347	25.8	19,354	24.9	19,594	24.2
Asian	4,189	17.1	4,150	16.3	4,225	16.1
Pacific-Islander	279	22.9	257	20.1	267	20.1
Native American	177	11.6	221	14.5	205	13.3
Other	4	*	3	*	2	*
Two or More Races	722	8.9	721	8.6	718	8.3

Notes: Birth rates are number of live births per 1,000 total population. Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Births in which the mother's region or race/ethnicity are not known are not included/shown in these respective categories.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 31b.

Birth Rate, San Diego County Residents

Region by Race/Ethnicity

Geographic Level	2000		2001		2002	
	Number	Rate	Number	Rate	Number	Rate
North Coastal						
White	3,680	12.2	3,540	11.7	3,525	11.4
African-American	307	16.2	248	13.4	255	12.8
Hispanic	2,986	25.6	2,974	24.5	3,099	24.4
Asian	387	19.6	408	20.0	389	18.2
Pacific-Islander	64	22.3	61	20.5	70	22.3
Native American	36	17.2	33	15.9	33	15.4
Other	1	*	1	*	0	*
Two or More Races	121	9.9	131	10.5	118	9.1
North Inland						
White	3,345	10.8	3,242	10.5	3,178	10.2
African-American	127	15.7	122	13.9	123	13.2
Hispanic	3,078	26.8	2,895	24.0	3,015	23.8
Asian	614	17.2	613	16.3	697	18.0
Pacific-Islander	19	18.8	20	18.0	25	21.4
Native American	48	11.1	60	13.8	53	12.0
Other	1	*	0	*	1	*
Two or More Races	106	9.3	95	8.0	85	7.0
North Central						
White	3,793	10.2	3,746	10.1	3,717	10.0
African-American	255	14.2	255	13.8	235	12.4
Hispanic	1,220	19.7	1,256	19.4	1,293	19.0
Asian	1,244	17.1	1,241	16.4	1,280	16.3
Pacific-Islander	43	21.4	40	18.8	29	13.1
Native American	17	8.8	24	12.2	17	8.6
Other	0	*	1	*	0	*
Two or More Races	134	7.5	127	6.9	127	6.6
Central						
White	1,250	8.8	1,206	8.6	1,159	8.4
African-American	1,137	16.4	1,050	15.2	967	14.0
Hispanic	4,892	27.3	4,848	26.4	4,713	25.1
Asian	980	16.4	862	14.3	883	14.5
Pacific-Islander	66	24.9	51	18.6	55	19.7
Native American	14	7.3	23	12.2	26	14.0
Other	1	*	0	*	1	*
Two or More Races	128	8.7	129	8.6	133	8.7
East						
White	3,623	11.7	3,471	11.2	3,294	10.7
African-American	388	17.9	375	16.7	402	17.5
Hispanic	1,768	22.5	1,817	22.1	1,802	21.1
Asian	266	18.3	292	19.2	290	18.9
Pacific-Islander	40	23.8	45	25.6	45	24.7
Native American	44	12.2	57	15.8	54	14.9
Other	1	*	1	*	0	*
Two or More Races	140	9.3	130	8.4	136	8.6
South						
White	1,185	10.3	1,186	10.3	1,197	10.2
African-American	269	14.7	270	14.3	294	14.8
Hispanic	5,347	26.8	5,483	26.7	5,614	26.3
Asian	689	16.0	718	15.9	680	14.3
Pacific-Islander	47	24.2	39	19.0	42	19.4
Native American	17	12.4	24	17.2	21	14.7
Other	0	*	0	*	0	*
Two or More Races	91	9.2	103	10.1	116	10.9

Notes: Birth rates are number of live births per 1,000 total population. Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Births in which mother's region or race/ethnicity are not known are not included/shown.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 32a.**Number of Live Births among San Diego County Residents**

By Region, Race/Ethnicity and Age of Mother

Geographic Level	2000		2001		2002	
	Number	Percent	Number	Percent	Number	Percent
San Diego County	44,272	100.0	43,758	100.0	43,951	100.0
Region						
North Coastal	7,615	17.2	7,456	17.0	7,582	17.3
North Inland	7,367	16.6	7,158	16.4	7,426	16.9
North Central	6,748	15.2	6,725	15.4	6,754	15.4
Central	8,485	19.2	8,181	18.7	7,963	18.1
East	6,300	14.2	6,224	14.2	6,055	13.8
South	7,651	17.3	7,836	17.9	7,985	18.2
Unknown	106	0.2	178	0.4	186	0.4
Race/Ethnicity						
White	16,902	38.2	16,425	37.5	16,142	36.7
African-American	2,491	5.6	2,342	5.4	2,296	5.2
Hispanic	19,347	43.7	19,354	44.2	19,594	44.6
Asian	4,189	9.5	4,150	9.5	4,225	9.6
Pacific-Islander	279	0.6	257	0.6	267	0.6
Native American	177	0.4	221	0.5	205	0.5
Other	4	*	3	*	2	*
Two or More Races	722	1.6	721	1.6	718	1.6
Unknown	161	0.4	285	0.7	502	1.1
Age						
Under 15	57	0.1	67	0.2	50	0.1
15-19	4,080	9.2	3,954	9.0	3,732	8.5
20-24	10,276	23.2	10,130	23.2	10,157	23.1
25-29	11,663	26.3	11,314	25.9	11,278	25.7
30-34	11,009	24.9	11,084	25.3	11,248	25.6
35 and up	7,181	16.2	7,208	16.5	7,486	17.0
Unknown	6	0.0	1	*	0	*

Notes: Percents are calculated out of total number of births. Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 32b.

Live Births among San Diego County Residents

Region by Race/Ethnicity

Geographic Level	2000		2001		2002	
	Number	Percent	Number	Percent	Number	Percent
North Coastal						
White	3,680	48.3	3,540	47.5	3,525	46.5
African-American	307	4.0	248	3.3	255	3.4
Hispanic	2,986	39.2	2,974	39.9	3,099	40.9
Asian	387	5.1	408	5.5	389	5.1
Pacific-Islander	64	0.8	61	0.8	70	0.9
Native American	36	0.5	33	0.4	33	0.4
Other	1	*	1	*	0	*
Two or More Races	121	1.6	131	1.8	118	1.6
Unknown	33	0.4	60	0.8	93	1.2
Total	7,615	100.0	7,456	100.0	7,582	100.0
North Inland						
White	3,345	45.4	3,242	45.3	3,178	42.8
African-American	127	1.7	122	1.7	123	1.7
Hispanic	3,078	41.8	2,895	40.4	3,015	40.6
Asian	614	8.3	613	8.6	697	9.4
Pacific-Islander	19	0.3	20	0.3	25	0.3
Native American	48	0.7	60	0.8	53	0.7
Other	1	*	0	*	1	*
Two or More Races	106	1.4	95	1.3	85	1.1
Unknown	29	0.4	111	1.6	249	3.4
Total	7,367	100.0	7,158	100.0	7,426	100.0
North Central						
White	3,793	56.2	3,746	55.7	3,717	55.0
African-American	255	3.8	255	3.8	235	3.5
Hispanic	1,220	18.1	1,256	18.7	1,293	19.1
Asian	1,244	18.4	1,241	18.5	1,280	19.0
Pacific-Islander	43	0.6	40	0.6	29	0.4
Native American	17	0.3	24	0.4	17	0.3
Other	0	*	1	*	0	*
Two or More Races	134	2.0	127	1.9	127	1.9
Unknown	42	0.6	35	0.5	56	0.8
Total	6,748	100.0	6,725	100.0	6,754	100.0
Central						
White	1,250	14.7	1,206	14.7	1,159	14.6
African-American	1,137	13.4	1,050	12.8	967	12.1
Hispanic	4,892	57.7	4,848	59.3	4,713	59.2
Asian	980	11.5	862	10.5	883	11.1
Pacific-Islander	66	0.8	51	0.6	55	0.7
Native American	14	0.2	23	0.3	26	0.3
Other	1	*	0	*	1	*
Two or More Races	128	1.5	129	1.6	133	1.7
Unknown	17	0.2	12	0.1	26	0.3
Total	8,485	100.0	8,181	100.0	7,963	100.0
East						
White	3,623	57.5	3,471	55.8	3,294	54.4
African-American	388	6.2	375	6.0	402	6.6
Hispanic	1,768	28.1	1,817	29.2	1,802	29.8
Asian	266	4.2	292	4.7	290	4.8
Pacific-Islander	40	0.6	45	0.7	45	0.7
Native American	44	0.7	57	0.9	54	0.9
Other	1	*	1	*	0	*
Two or More Races	140	2.2	130	2.1	136	2.2
Unknown	30	0.5	36	0.6	32	0.5
Total	6,300	100.0	6,224	100.0	6,055	100.0
South						
White	1,185	15.5	1,186	15.1	1,197	15.0
African-American	269	3.5	270	3.4	294	3.7
Hispanic	5,347	69.9	5,483	70.0	5,614	70.3
Asian	689	9.0	718	9.2	680	8.5
Pacific-Islander	47	0.6	39	0.5	42	0.5
Native American	17	0.2	24	0.3	21	0.3
Other	0	*	0	*	0	*
Two or More Races	91	1.2	103	1.3	116	1.5
Unknown	6	0.1	13	0.2	21	0.3
Total	7,651	100.0	7,836	100.0	7,985	100.0

Notes: Percents are calculated out of total number of births. Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Births in which mother's region is unknown are not included/shown.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 33a.**Preterm Births, San Diego County Residents**

By Region, Race/Ethnicity and Age of Mother

Geographic Level	2000		2001		2002	
	Number	Percent	Number	Percent	Number	Percent
San Diego County	4,392	10.6	4,356	10.6	4,390	10.6
Region						
North Coastal	707	10.1	681	9.9	761	10.7
North Inland	693	9.9	669	9.9	630	9.1
North Central	646	10.0	634	9.9	601	9.2
Central	968	12.1	955	12.4	951	12.6
East	624	10.5	619	10.8	679	12.1
South	749	10.4	769	10.3	747	9.8
Race/Ethnicity						
White	1,483	9.3	1,474	9.6	1,458	9.5
African-American	356	15.8	335	15.5	352	16.4
Hispanic	1,947	10.6	1,968	10.8	1,918	10.4
Asian	451	11.4	435	11.1	461	11.4
Pacific-Islander	24	9.5	17	7.6	36	14.7
Native American	17	11.0	20	10.6	20	11.5
Other	0	*	0	*	0	*
Two or More Races	91	13.9	68	10.1	85	12.5
Age						
Under 15	7	13.5	13	22.8	8	19.0
15-19	450	12.0	475	13.1	408	11.9
20-24	968	10.3	933	10.0	948	10.0
25-29	1,089	9.9	987	9.3	1,076	10.1
30-34	1,028	9.8	1,083	10.2	1,084	10.1
35 and up	849	12.4	865	12.6	866	12.1

Notes: Preterm births are births that occur prior to 37 complete weeks of gestation. Births with unknown or improbable gestation lengths were excluded from the denominator in rate calculations (improbable lengths are those that likely reflect inaccuracies rather than actual gestation periods (under 17 completed weeks or 53 or more completed weeks)). Comparisons should only be made with similarly calculated rates. Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Births in which the mother's region, race/ethnicity or age are unknown are not included/shown in these respective categories.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 33b.

Preterm Births, San Diego County Residents

Region by Race/Ethnicity

Geographic Level	2000-2002 Total	
	Number	Percent
North Coastal		
White	938	9.4
African-American	118	16.9
Hispanic	903	10.7
Asian	110	10.1
Pacific-Islander	19	11.2
Native American	10	12.2
Other	0	*
Two or More Races	37	10.9
Unknown	14	8.7
North Inland		
White	849	9.2
African-American	51	15.2
Hispanic	807	9.5
Asian	183	9.9
Pacific-Islander	5	8.8
Native American	16	11.7
Other	0	*
Two or More Races	31	11.8
Unknown	50	15.2
North Central		
White	966	8.9
African-American	106	15.2
Hispanic	368	10.3
Asian	376	10.4
Pacific-Islander	9	8.7
Native American	6	11.8
Other	0	*
Two or More Races	37	10.1
Unknown	13	10.7
Central		
White	344	10.1
African-American	446	15.3
Hispanic	1,664	12.1
Asian	346	13.6
Pacific-Islander	14	9.2
Native American	7	12.7
Other	0	*
Two or More Races	47	12.7
Unknown	6	13.0
East		
White	971	10.0
African-American	200	18.5
Hispanic	549	10.9
Asian	103	12.9
Pacific-Islander	12	10.1
Native American	14	10.5
Other	0	*
Two or More Races	52	13.7
Unknown	21	25.9
South		
White	335	9.9
African-American	119	15.2
Hispanic	1,523	9.7
Asian	223	11.2
Pacific-Islander	18	15.1
Native American	4	*
Other	0	*
Two or More Races	38	13.5
Unknown	5	14.7

Notes: Preterm births are births that occur prior to 37 complete weeks of gestation. Births with unknown or improbable gestation lengths were excluded from the denominator in rate calculations (improbable lengths are those that likely reflect inaccuracies rather than actual gestation periods (under 17 completed weeks or 53 or more completed weeks)). Comparisons should only be made with similarly calculated rates. Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Births in which the mother's region or race/ethnicity are unknown are not included/shown in these respective categories.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files.

Table 33b.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 34a.**Low Birth Weight (Under 2500 grams), San Diego County Residents**

By Region, Race/Ethnicity and Age of Mother

Geographic Level	2000		2001		2002	
	Number	Percent	Number	Percent	Number	Percent
San Diego County	2,668	6.0	2,644	6.0	2,682	6.1
Region						
North Coastal	439	5.8	435	5.8	459	6.1
North Inland	376	5.1	404	5.6	431	5.8
North Central	429	6.4	406	6.0	398	5.9
Central	576	6.8	567	6.9	520	6.5
East	415	6.6	375	6.0	406	6.7
South	427	5.6	437	5.6	450	5.6
Race/Ethnicity						
White	957	5.7	920	5.6	943	5.8
African-American	282	11.3	269	11.5	258	11.2
Hispanic	1,028	5.3	1,056	5.5	1,044	5.3
Asian	309	7.4	297	7.2	302	7.1
Pacific-Islander	13	4.7	11	4.3	20	7.5
Native American	6	3.4	15	6.8	13	6.3
Other	0	*	0	*	0	*
Two or More Races	52	7.2	49	6.8	58	8.1
Age						
Under 15	2	*	5	7.5	3	*
15-19	295	7.2	295	7.5	242	6.5
20-24	570	5.5	607	6.0	589	5.8
25-29	622	5.3	584	5.2	613	5.4
30-34	650	5.9	591	5.3	686	6.1
35 and up	528	7.4	562	7.8	549	7.3

Notes: Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Births in which the mother's region, race/ethnicity or age are not known are not included/shown in these respective categories.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 34b.

Low Birth Weight (Under 2500 grams), San Diego County Residents

Region by Race/Ethnicity

Geographic Level	2000-2002 Total	
	Number	Percent
North Coastal		
White	608	5.7
African-American	109	13.5
Hispanic	499	5.5
Asian	75	6.3
Pacific-Islander	6	3.1
Native American	4	*
Other	0	*
Two or More Races	24	6.5
Unknown	8	4.3
North Inland		
White	499	5.1
African-American	36	9.7
Hispanic	497	5.5
Asian	120	6.2
Pacific-Islander	3	*
Native American	8	5.0
Other	0	*
Two or More Races	17	5.9
Unknown	31	8.0
North Central		
White	656	5.8
African-American	73	9.8
Hispanic	207	5.5
Asian	253	6.7
Pacific-Islander	6	5.4
Native American	2	*
Other	0	*
Two or More Races	26	6.7
Unknown	10	7.5
Central		
White	213	5.9
African-American	343	10.9
Hispanic	826	5.7
Asian	226	8.3
Pacific-Islander	11	6.4
Native American	5	7.9
Other	0	*
Two or More Races	34	8.7
Unknown	5	9.1
East		
White	609	5.9
African-American	144	12.4
Hispanic	290	5.4
Asian	72	8.5
Pacific-Islander	11	8.5
Native American	13	8.4
Other	0	*
Two or More Races	35	8.6
Unknown	22	22.4
South		
White	226	6.3
African-American	100	12.0
Hispanic	800	4.9
Asian	154	7.4
Pacific-Islander	7	5.5
Native American	2	*
Other	0	*
Two or More Races	22	7.1
Unknown	3	*

Notes: Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Births in which the mother's region or race/ethnicity are unknown are not included/shown.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 35a.**Very Low Birth Weight (Under 1500 grams), San Diego County Residents**

By Region, Race/Ethnicity and Age of Mother

Geographic Level	2000		2001		2002	
	Number	Percent	Number	Percent	Number	Percent
San Diego County	561	1.3	520	1.2	476	1.1
Region						
North Coastal	88	1.2	80	1.1	76	1.0
North Inland	79	1.1	81	1.1	72	1.0
North Central	83	1.2	80	1.2	77	1.1
Central	138	1.6	102	1.2	100	1.3
East	91	1.4	89	1.4	72	1.2
South	79	1.0	82	1.0	77	1.0
Race/Ethnicity						
White	185	1.1	178	1.1	167	1.0
African-American	84	3.4	71	3.0	61	2.7
Hispanic	220	1.1	194	1.0	179	0.9
Asian	49	1.2	51	1.2	47	1.1
Pacific-Islander	2	*	1	*	4	*
Native American	2	*	5	2.3	1	*
Other	0	*	0	*	0	*
Two or More Races	13	1.8	11	1.5	8	1.1
Age						
Under 15	1	*	0	*	1	*
15-19	61	1.5	46	1.2	40	1.1
20-24	114	1.1	135	1.3	103	1.0
25-29	142	1.2	117	1.0	114	1.0
30-34	137	1.2	112	1.0	125	1.1
35 and up	105	1.5	110	1.5	93	1.2

Notes: Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Births in which the mother's region, race/ethnicity or age are unknown are not included/shown in these respective categories.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 35b.

Very Low Birth Weight (Under 1500 grams), San Diego County Residents

Region by Race/Ethnicity

Geographic Level	2000-2002 Total	
	Number	Percent
North Coastal		
White	111	1.0
African-American	26	3.2
Hispanic	90	1.0
Asian	11	0.9
Other/Two or More Races	5	0.7
North Inland		
White	99	1.0
African-American	12	3.2
Hispanic	103	1.1
Asian	13	0.7
Other/Two or More Races	1	*
North Central		
White	123	1.1
African-American	21	2.8
Hispanic	44	1.2
Asian	42	1.1
Other/Two or More Races	9	1.6
Central		
White	50	1.4
African-American	87	2.8
Hispanic	154	1.1
Asian	36	1.3
Other/Two or More Races	10	1.6
East		
White	110	1.1
African-American	44	3.8
Hispanic	55	1.0
Asian	15	1.8
Other/Two or More Races	17	2.5
South		
White	37	1.0
African-American	25	3.0
Hispanic	142	0.9
Asian	29	1.4
Other/Two or More Races	5	1.0

Notes: Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Births in which the mother's region or race/ethnicity are unknown are not included/shown.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated on fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 36a.**Births to Girls Aged 15-17, San Diego County Residents**

By Region and Race/Ethnicity

Geographic Level	2000		2001		2002	
	Number	Rate	Number	Rate	Number	Rate
San Diego County	1,321	24.3	1,223	21.9	1,155	20.3
Region						
North Coastal	202	22.9	183	20.2	170	18.0
North Inland	210	19.8	180	16.5	177	15.8
North Central	81	10.6	76	9.8	55	7.0
Central	415	46.1	334	37.0	357	39.2
East	161	16.8	162	16.5	149	15.0
South	247	27.9	281	30.6	237	24.9
Race/Ethnicity						
White	166	7.0	151	6.3	124	5.1
African-American	98	28.4	64	18.4	74	20.7
Hispanic	961	50.4	909	45.8	874	42.4
Asian	46	8.9	47	9.1	37	7.3
Pacific-Islander	9	32.5	7	23.6	5	15.9
Native American	5	15.1	5	16.2	6	19.0
Other	1	*	0	*	0	*
Two or More Races	35	15.1	31	12.9	21	8.5

Notes: Rates are number of births per 1,000 female population ages 15-17. Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Population denominators used in rate calculations have been adjusted for Census 2000 results; these rates are not directly comparable to rates calculated using unadjusted populations. Births in which the mother's region or race/ethnicity are unknown are not included/shown in these respective categories.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files. SANDAG, Current Estimates.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 36b.

Births to Girls Aged 15-17, San Diego County Residents

Region by Race/Ethnicity

Geographic Level	2000-2002 Total	
	Number	Rate
North Coastal		
White	81	5.6
African-American	18	14.1
Hispanic	430	47.7
Asian	6	5.7
Pacific-Islander	6	27.5
Native American	2	*
Other	0	*
Two or More Races	11	10.5
North Inland		
White	78	4.2
African-American	4	*
Hispanic	444	48.4
Asian	10	3.8
Pacific-Islander	0	*
Native American	5	15.3
Other	0	*
Two or More Races	8	6.8
North Central		
White	44	3.4
African-American	20	17.7
Hispanic	115	29.9
Asian	18	4.9
Pacific-Islander	1	*
Native American	2	*
Other	0	*
Two or More Races	11	8.7
Central		
White	30	10.3
African-American	121	25.2
Hispanic	862	63.7
Asian	60	13.8
Pacific-Islander	7	33.7
Native American	1	*
Other	1	*
Two or More Races	23	19.9
East		
White	144	7.9
African-American	51	33.1
Hispanic	236	34.9
Asian	13	14.0
Pacific-Islander	5	41.7
Native American	5	20.6
Other	0	*
Two or More Races	17	11.8
South		
White	56	11.0
African-American	22	19.0
Hispanic	644	37.6
Asian	23	8.3
Pacific-Islander	2	*
Native American	1	*
Other	0	*
Two or More Races	17	15.2

Notes: Rates are number of births per 1,000 female population ages 15-17. Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Population denominators used in rate calculations have been adjusted for Census 2000 results; these rates are not directly comparable to rates calculated using unadjusted populations. Births in which the mother's region or race/ethnicity are unknown are not included in these respective categories.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files. SANDAG, Current Estimates.

Prepared by Maternal, Child and Family Health Services (MCFHS).

Table 37a.

Births to Girls Aged 15-19, San Diego County Residents

By Region and Race/Ethnicity

Geographic Level	2000		2001		2002	
	Number	Rate	Number	Rate	Number	Rate
San Diego County	4,080	43.2	3,954	40.7	3,732	37.4
Region						
North Coastal	669	46.5	632	42.1	604	38.2
North Inland	617	37.4	580	33.1	588	31.8
North Central	244	15.0	272	16.8	219	13.5
Central	1,112	64.3	1,007	58.7	972	56.9
East	578	37.4	570	35.7	533	32.6
South	845	57.6	863	56.5	787	49.4
Race/Ethnicity						
White	774	18.6	738	17.5	655	15.1
African-American	343	59.4	309	52.6	269	44.0
Hispanic	2,654	81.4	2,570	75.6	2,499	71.1
Asian	149	15.7	158	16.4	144	14.8
Pacific-Islander	33	69.2	20	40.1	20	38.8
Native American	16	26.9	30	53.5	28	49.6
Other	1	*	0	*	0	*
Two or More Races	105	27.5	112	27.8	74	17.5

Notes: Rates are number of births per 1,000 female population ages 15-19. Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Population denominators used in rate calculations have been adjusted for Census 2000 results; these rates are not directly comparable to rates calculated using unadjusted populations. Births in which the mother's region or race/ethnicity are unknown are not included/shown in these respective categories.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files. SANDAG, Current Estimates.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 37b.

Births to Girls Aged 15-19, San Diego County Residents

Region by Race/Ethnicity

Geographic Level	2000-2002 Average	
	Number	Rate
North Coastal		
White	458	19.4
African-American	79	38.2
Hispanic	1,256	81.5
Asian	26	14.7
Pacific-Islander	18	47.4
Native American	14	77.3
Other	0	*
Two or More Races	40	24.2
Total	1,905	42.1
North Inland		
White	389	13.3
African-American	38	40.1
Hispanic	1,241	80.0
Asian	27	6.4
Pacific-Islander	1	*
Native American	20	37.6
Other	0	*
Two or More Races	26	14.4
Total	1,785	34.0
North Central		
White	223	8.2
African-American	66	34.3
Hispanic	336	44.7
Asian	70	7.9
Pacific-Islander	6	26.0
Native American	4	*
Other	0	*
Two or More Races	29	11.8
Total	735	15.1
Central		
White	150	16.6
African-American	454	54.5
Hispanic	2,182	92.4
Asian	189	24.6
Pacific-Islander	19	50.0
Native American	8	38.6
Other	1	*
Two or More Races	85	40.6
Total	3,091	60.0
East		
White	683	23.1
African-American	150	59.9
Hispanic	713	64.4
Asian	40	24.7
Pacific-Islander	15	81.1
Native American	18	45.1
Other	0	*
Two or More Races	60	26.1
Total	1,681	35.2
South		
White	242	28.8
African-American	128	64.3
Hispanic	1,955	68.3
Asian	98	20.8
Pacific-Islander	14	73.7
Native American	10	58.8
Other	0	*
Two or More Races	48	27.5
Total	2,495	54.4

Notes: Rates are number of births per 1,000 female population ages 15-19. Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Population denominators used in rate calculations have been adjusted for Census 2000 results; these rates are not directly comparable to rates calculated using unadjusted populations. Births in which the mother's region or race/ethnicity are unknown are not included/shown in these respective categories.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files. SANDAG, Current Estimates.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 38a.**Fetal Mortality, San Diego County Residents**

By Region, Race/Ethnicity and Age of Mother

Geographic Level	2000		2001		2002	
	Number	Rate	Number	Rate	Number	Rate
San Diego County	228	5.1	213	4.8	207	4.7
Region						
North Coastal	39	5.1	38	5.1	37	4.9
North Inland	59	7.9	33	4.6	34	4.6
North Central	19	2.8	19	2.8	18	2.7
Central	44	5.2	48	5.8	43	5.4
East	28	4.4	28	4.5	35	5.7
South	36	4.7	45	5.7	39	4.9
Race/Ethnicity						
White	68	3.9	72	4.3	71	4.3
African-American	38	14.3	18	7.2	24	9.7
Hispanic	100	5.1	99	5.1	93	4.7
Asian	14	3.2	16	3.7	15	3.4
Pacific-Islander	2	*	1	*	0	*
Native American	1	*	2	*	1	*
Other	0	*	0	*	0	*
Age						
Under 15	0	*	2	*	0	*
15-19	23	5.6	24	6.0	21	5.6
20-24	56	5.4	44	4.3	42	4.1
25-29	44	3.8	40	3.5	48	4.2
30-34	46	4.2	49	4.4	47	4.2
35 and up	54	7.5	48	6.6	43	5.7

Notes: Rates are number of fetal deaths per 1,000 live births plus fetal deaths. Starting year 2000, birth certificates allowed reporting of up to three races (fetal death certificates still allow only one race). This analysis takes into account only the first reported race. Only fetal deaths of 20 or more completed weeks gestation are included. Fetal deaths in which the mother's region, race/ethnicity or age are unknown are not included/shown in these respective categories.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth and Death Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 38b.

Fetal Mortality, San Diego County Residents

Region by Race/Ethnicity

Geographic Level	2000-2002 Total	
	Number	Rate
North Coastal		
White	48	4.4
African-American	10	11.1
Hispanic	46	5.1
Asian	8	6.2
All Other	1	*
North Inland		
White	52	5.2
African-American	3	7.4
Hispanic	61	6.7
Asian	7	3.5
All Other	1	*
North Central		
White	32	2.8
African-American	8	9.9
Hispanic	8	2.1
Asian	8	2.1
All Other	0	*
Central		
White	20	5.3
African-American	31	9.4
Hispanic	71	4.9
Asian	10	3.5
All Other	1	*
East		
White	36	3.4
African-American	15	11.8
Hispanic	28	5.2
Asian	5	5.4
All Other	2	*
South		
White	22	5.9
African-American	12	13.2
Hispanic	76	4.6
Asian	7	3.2
All Other	2	*

Notes: Rates are number of fetal deaths per 1,000 live births plus fetal deaths. Starting year 2000, birth certificates allowed reporting of up to three races (fetal death certificates still allow only one race). This analysis takes into account only the first reported race. Only fetal deaths of 20 or more completed weeks gestation are included. Fetal deaths in which the mother's region or race/ethnicity are unknown are not included/shown in these respective categories.

**Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.*

Source: State of California, Department of Health Services, Center for Health Statistics, Birth and Death Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 39a.**Infant Mortality, San Diego County Residents**

By Region and Race/Ethnicity of Mother

Geographic Level	2000		2001		2002	
	Number	Rate	Number	Rate	Number	Rate
San Diego County	263	5.9	246	5.6	197	4.5
Region						
North Coastal	40	5.3	39	5.2	30	4.0
North Inland	41	5.6	30	4.2	24	3.2
North Central	34	5.0	38	5.7	20	3.0
Central	62	7.3	59	7.2	48	6.0
East	45	7.1	41	6.6	44	7.3
South	39	5.1	39	5.0	31	3.9
Race/Ethnicity						
White	80	4.7	80	4.9	66	4.1
African-American	45	18.1	34	14.5	33	14.4
Hispanic	110	5.7	93	4.8	71	3.6
Asian	14	3.3	25	6.0	12	2.8
Pacific-Islander	3	*	1	*	3	*
Native American	0	*	2	*	2	*
Other	0	*	0	*	0	*
Two or More Races	11	15.2	10	13.9	9	12.5

Notes: Rates are number of deaths of infants under one year of age per 1,000 live births. Starting year 2000, birth and death certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Statistics by race/ethnicity should be interpreted with caution as under-reporting of some race/ethnicities may occur on death certificates. Infants with unknown region or race/ethnicity are not included/shown in these respective categories.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth and Death Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 39b.

Infant Mortality, San Diego County Residents

Region by Race/Ethnicity

Geographic Level	2000-2002 Total	
	Number	Rate
North Coastal		
White	47	4.4
African-American	13	16.0
Hispanic	41	4.5
Asian	3	*
All Other/Two or More Races	5	7.5
North Inland		
White	37	3.8
African-American	4	*
Hispanic	45	5.0
Asian	5	2.6
All Other/Two or More Races	4	*
North Central		
White	47	4.2
African-American	11	14.8
Hispanic	14	3.7
Asian	17	4.5
All Other/Two or More Races	3	*
Central		
White	14	3.9
African-American	57	18.1
Hispanic	74	5.1
Asian	13	4.8
All Other/Two or More Races	10	15.9
East		
White	65	6.3
African-American	15	12.9
Hispanic	29	5.4
Asian	5	5.9
All Other/Two or More Races	15	21.6
South		
White	15	4.2
African-American	12	14.4
Hispanic	70	4.3
Asian	8	3.8
All Other/Two or More Races	4	*

Notes: Rates are number of deaths of infants under one year of age per 1,000 live births. Starting year 2000, birth and death certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Statistics by race/ethnicity should be interpreted with caution as under-reporting of some race/ethnicities may occur on death certificates. Infants with unknown region or race/ethnicity are not included/shown in these respective categories.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth and Death Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 40a.**Live Births where Mother Received Late or No Prenatal Care, San Diego County Residents**

By Region, Race/Ethnicity and Age of Mother

Geographic Level	2000		2001		2002	
	Number	Percent	Number	Percent	Number	Percent
San Diego County	1,748	4.0	1,443	3.4	1,166	2.7
Region						
North Coastal	317	4.4	202	2.9	184	2.5
North Inland	352	4.9	260	3.8	138	2.0
North Central	104	1.6	89	1.3	106	1.6
Central	467	5.6	397	4.9	310	3.9
East	149	2.4	150	2.4	155	2.6
South	351	4.6	325	4.2	254	3.2
Race/Ethnicity						
White	252	1.5	274	1.7	221	1.4
African-American	107	4.4	84	3.7	83	3.7
Hispanic	1,206	6.4	929	4.9	704	3.7
Asian	110	2.7	89	2.2	92	2.2
Pacific-Islander	27	10.0	21	8.4	18	6.8
Native American	15	9.0	7	3.4	9	4.5
Other	2	*	0	*	0	*
Two or More Races	28	4.0	29	4.1	20	2.8
Age						
Under 15	12	21.1	10	15.4	4	*
15-19	387	9.7	266	7.0	211	5.8
20-24	555	5.6	461	4.7	346	3.5
25-29	385	3.4	337	3.1	284	2.6
30-34	246	2.3	206	1.9	195	1.8
35 and up	163	2.3	163	2.3	126	1.7

Notes: Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Late prenatal care is care beginning in the 3rd trimester. Births with unknown prenatal care status were excluded from the denominator in rate calculations; comparisons should only be made with similarly calculated rates. Births in which the mother's region, race/ethnicity or age are unknown are not included/shown in these respective categories.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 40b.

Live Births where Mother Received Late or No Prenatal Care, San Diego County Residents

Region by Race/Ethnicity

Geographic Level	2000-2002 Total	
	Number	Rate
North Coastal		
White	144	1.4
African-American	27	3.6
Hispanic	476	5.4
Asian	24	2.1
Pacific-Islander	13	7.0
Native American	2	*
Other	0	*
Two or More Races	12	3.4
North Inland		
White	180	1.9
African-American	10	2.9
Hispanic	482	5.7
Asian	43	2.3
Pacific-Islander	3	*
Native American	7	4.9
Other	1	*
Two or More Races	12	4.4
North Central		
White	96	0.9
African-American	12	1.6
Hispanic	115	3.1
Asian	54	1.4
Pacific-Islander	6	5.5
Native American	3	*
Other	0	*
Two or More Races	10	2.6
Central		
White	63	1.8
African-American	159	5.1
Hispanic	806	5.7
Asian	94	3.5
Pacific-Islander	26	15.3
Native American	6	10.0
Other	0	*
Two or More Races	16	4.1
East		
White	173	1.7
African-American	39	3.4
Hispanic	188	3.5
Asian	18	2.1
Pacific-Islander	10	7.9
Native American	9	5.8
Other	1	*
Two or More Races	13	3.2
South		
White	70	2.0
African-American	24	2.9
Hispanic	755	4.6
Asian	54	2.6
Pacific-Islander	8	6.3
Native American	4	*
Other	0	*
Two or More Races	13	4.2

Notes: Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Late prenatal care is care beginning in the 3rd trimester. Births with unknown prenatal care status were excluded from the denominator in rate calculations; comparisons should only be made with similarly calculated rates. Births in which the mother's region or race/ethnicity are unknown are not included/shown.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 41a.**Live Births where Mother Received First Trimester Prenatal Care, San Diego County Residents**

By Region, Race/Ethnicity and Age of Mother

Geographic Level	2000		2001		2002	
	Number	Percent	Number	Percent	Number	Percent
San Diego County	36,085	83.2	36,120	84.7	37,495	86.8
Region						
North Coastal	5,831	81.6	5,998	84.9	6,352	85.3
North Inland	5,794	80.4	5,511	81.2	6,048	86.0
North Central	6,171	92.1	6,185	92.5	6,182	92.0
Central	6,563	78.6	6,409	79.8	6,579	83.7
East	5,468	87.5	5,471	89.1	5,363	89.2
South	6,187	81.4	6,419	82.5	6,825	85.7
Race/Ethnicity						
White	15,118	91.4	14,647	91.3	14,722	92.1
African-American	1,918	79.6	1,868	82.2	1,865	82.6
Hispanic	14,392	75.8	14,871	78.9	15,870	82.8
Asian	3,620	87.9	3,579	87.8	3,698	88.3
Pacific-Islander	187	69.0	184	73.9	204	77.0
Native American	119	71.7	163	78.4	163	82.3
Other	0	*	2	*	1	*
Two or More Races	591	84.2	604	85.0	612	86.1
Age						
Under 15	23	40.4	31	47.7	25	51.0
15-19	2,624	66.0	2,681	70.4	2,675	73.8
20-24	7,666	77.3	7,753	79.5	8,216	82.6
25-29	9,739	85.1	9,541	86.4	9,758	87.9
30-34	9,663	88.9	9,775	89.7	10,090	90.8
35 and up	6,366	89.9	6,339	89.3	6,731	91.1

Notes: Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Births with unknown prenatal care status were excluded from the denominator in rate calculations; comparisons should only be made with similarly calculated rates. Births in which the mother's region, race/ethnicity or age are unknown are not included/shown in these respective categories.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 41b.

Live Births where Mother Received First Trimester Prenatal Care, San Diego County Residents

Region by Race/Ethnicity

Geographic Level	2000		2001		2002	
	Number	Rate	Number	Rate	Number	Rate
North Coastal						
White	3,068	88.9	3,020	91.0	3,124	89.8
African-American	183	68.5	177	78.0	192	78.0
Hispanic	2,080	73.2	2,266	79.2	2,459	80.9
Asian	314	89.0	324	84.4	327	85.6
Pacific-Islander	44	73.3	39	68.4	51	72.9
Native American	25	83.3	24	80.0	24	72.7
Other	0	*	1	*	0	*
Two or More Races	92	82.1	101	79.5	102	87.9
North Inland						
White	2,956	90.1	2,774	88.4	2,870	91.8
African-American	95	81.9	89	79.5	95	83.3
Hispanic	2,041	67.8	1,935	71.8	2,193	79.5
Asian	550	91.1	520	87.2	612	89.6
Pacific-Islander	14	73.7	15	75.0	21	91.3
Native American	32	68.1	36	70.6	39	84.8
Other	0	*	0	*	0	*
Two or More Races	80	80.8	76	83.5	68	81.9
North Central						
White	3,587	95.0	3,551	95.3	3,503	94.7
African-American	216	86.4	220	86.6	212	90.2
Hispanic	1,044	86.4	1,071	85.9	1,103	85.7
Asian	1,121	90.8	1,138	92.1	1,159	91.1
Pacific-Islander	33	78.6	35	89.7	28	96.6
Native American	9	56.3	23	95.8	16	94.1
Other	0	*	0	*	0	*
Two or More Races	123	91.8	117	92.9	116	91.3
Central						
White	1,133	91.9	1,063	88.8	1,054	91.9
African-American	875	78.2	807	79.1	756	79.4
Hispanic	3,596	74.7	3,683	77.5	3,846	82.7
Asian	803	83.2	696	82.5	738	84.2
Pacific-Islander	36	56.3	34	66.7	37	67.3
Native American	5	45.5	18	78.3	20	76.9
Other	0	*	0	*	1	*
Two or More Races	101	80.2	102	79.7	105	79.5
East						
White	3,283	91.2	3,166	92.0	3,007	91.9
African-American	320	83.3	326	88.1	327	82.0
Hispanic	1,431	81.7	1,496	84.3	1,543	86.5
Asian	228	86.4	258	89.0	257	88.6
Pacific-Islander	26	66.7	34	79.1	36	80.0
Native American	34	77.3	45	80.4	47	87.0
Other	0	*	1	*	0	*
Two or More Races	119	86.2	116	89.2	117	86.7
South						
White	1,077	91.1	1,051	89.1	1,112	93.1
African-American	222	83.8	231	85.6	264	90.1
Hispanic	4,163	78.5	4,363	80.1	4,683	83.7
Asian	598	87.0	632	89.0	599	88.1
Pacific-Islander	34	72.3	27	69.2	30	71.4
Native American	13	76.5	17	70.8	16	76.2
Other	0	*	0	*	0	*
Two or More Races	74	81.3	88	85.4	102	87.9

Notes: Starting year 2000, birth certificates allowed reporting of up to three races. Persons who reported more than one race were placed in the "Two or more races" category. Therefore, these race categories are not comparable to pre-2000 categories. Births with unknown prenatal care status were excluded from the denominator in rate calculations; comparisons should only be made with similarly calculated rates. Births in which the mother's region or race/ethnicity are unknown are not included/shown in these respective categories.

*Rates not calculated for fewer than 5 events; interpret with caution rates calculated for fewer than 20 events.

Source: State of California, Department of Health Services, Center for Health Statistics, Birth Statistical Master Files.

Prepared by Maternal, Child & Family Health Services (MCFHS).

Table 42a.

Rate of Overall AIDS Cases Among San Diego County Residents, 2000-2002

By Region, Gender, Race/Ethnicity, and Age Group

	2000		2001		2002	
	Cases	Crude Rate	Cases	Crude Rate	Cases	Crude Rate
San Diego County	461	16.4	436	15.3	436	15.0
Region						
N. Coastal	23	4.8	29	6.0	28	5.6
N. Central	48	8.8	63	11.3	55	9.7
Central	261	55.5	223	47.0	216	45.3
South	72	18.5	61	15.3	82	19.8
East	33	7.4	44	9.8	25	5.5
N. Inland	24	4.9	16	3.2	30	6.0
Gender						
Male	412	29.1	391	27.5	389	26.6
Female	49	3.5	45	3.1	47	3.3
Race/Ethnicity						
White	204	13.2	206	13.3	204	13.1
Black	76	49.2	71	45.4	75	46.9
Hispanic	166	22.1	141	18.1	143	17.7
Asian/Pacific Islander	8	3.1	16	6.0	13	4.7
Native American	7	45.9	2	*	1	*
Age Groups	Cases	Age-Specific Rate	Cases	Age-Specific Rate	Cases	Age-Specific Rate
0-4	0	*	0	*	0	*
5-14	1	*	0	*	2	*
15-24	20	4.6	9	2.0	19	4.2
25-34	123	27.7	120	26.6	93	20.3
35-44	213	46.6	201	43.8	209	45.5
45-54	77	21.8	85	23.3	80	21.3
55-64	19	9.3	13	6.2	29	12.9
65-74	6	3.7	7	4.4	4	*
75-84	1	*	1	*	0	*
85+	1	*	0	*	0	*

All rates are per 100,000 population

Note: Data represent the number of cases reported as of March 19, 2004 by year of diagnosis.

* rate not calculated for fewer than 5 events.

Source: Community Epidemiology

Prepared by Community Epidemiology

4/15/2004

Table 42b.

AIDS Cases among San Diego County Residents

Region by Race

Geographic Level	2000-2002	
	Cases	Crude Rate
N. Coastal	80	5.5
American Indian / Alaska Native	1	*
Asian / Pacific Islander	1	*
Black / African-American	12	20.9
Hispanic / Latino	22	6.0
White	44	4.8
N. Central	166	10.0
American Indian / Alaska Native	1	*
Asian / Pacific Islander	3	*
Black / African-American	22	39.7
Hispanic / Latino	29	14.9
White	111	9.9
Central	700	49.2
American Indian / Alaska Native	6	106.2
Asian / Pacific Islander	18	9.5
Black / African-American	152	73.2
Hispanic / Latino	192	34.8
White	332	79.3
South	215	17.9
American Indian / Alaska Native	1	*
Asian / Pacific Islander	5	3.5
Black / African-American	20	35.1
Hispanic / Latino	153	24.7
White	36	10.3
East	102	7.6
American Indian / Alaska Native	1	*
Asian / Pacific Islander	5	9.9
Black / African-American	9	13.4
Hispanic / Latino	32	13.0
White	55	5.9
N. Inland	70	4.7
American Indian / Alaska Native	0	*
Asian / Pacific Islander	5	4.3
Black / African-American	7	26.7
Hispanic / Latino	22	6.1
White	36	3.9

All rates are per 100,000 population (in this case, by region and race).

Note: Data represent the number of cases reported as of March 19, 2004 by year of diagnosis.

* rate not calculated for fewer than 5 events.

Source: Community Epidemiology

Prepared by Community Epidemiology

4/15/2004

Table 43.

Number of New AIDS Cases Among Adolescent or Adult Males Who are MSM or MSM+IDU Compared to 1998, 2000-2002 Average^α

By Region, Gender, Race/Ethnicity, and Age Group

Geographic Level	2000-2002	
	Cases	Percent Change ^β
San Diego County	334	-18.1
Region		
N. Coastal	19	-45.1
N. Central	41	-26.2
Central	186	-21.5
South	48	2.8
East	25	4.2
N. Inland	15	39.4
Race/Ethnicity		
White	165	-31.3
Black	112	-17.6
Hispanic	44	4.7
Asian/Other	11	126.7
Native American	2	-33.3
Age Groups	Cases	Percent Change^β
13-14	0	*
15-24	11	22.2
25-34	89	-33.6
35-44	160	-11.4
45-54	55	-16.2
55-64	13	-18.8
65-74	5	133.3
75-84	<1	*
85+	<1	*

Note: Data represent the number of cases reported as of March 19, 2004 by year of diagnosis. Averaged cases may not add to

* percent not calculated for fewer than 5 events.

^α MSM= men who have sex with men, MSM+IDU= men who have sex with men and inject drugs.

^β Compared to 1998 baseline; HP 2010 target is 25% reduction.

Source: Community Epidemiology

Prepared by Community Epidemiology

4/15/2004