Table 51.

Percentage of high school students who used marijuana one or more times during the past 30 days.
By Gender, Age Group and Race/Ethnicity

	San Diego Unified School District													
	1991		1993		1995		1997		1999		2001		2003	
	%	95% CI	%	95% CI	%	95% CI	%	95% CI	%	95% CI	%	95% CI	%	95% CI
Total	**18.1**	(14.3 - 21.9)	**22.6**	(19.6 - 25.6)	**26.5**	(23.7 - 29.3)	**26.4**	(24.0 - 28.8)	**22.2**	(19.4- 25.1)	**22.5**	(20.0 - 25.0)	**22.4**	(19.3 - 25.4)
Gender														
Male	**21.7**	(17.1 - 26.3)	**26.5**	(22.2 - 30.8)	**29.3**	(25.4 - 33.2)	**29.7**	(26.3 - 33.2)	**26.5**	(22.4 - 30.7)	**24.3**	(20.9 - 27.7)	**25.5**	(21.6 - 29.5)
Female	**14.5**	(10.4 - 18.5)	**18.6**	(15.4 - 21.8)	**24.2**	(21.0 - 27.4)	**23.0**	(20.0 - 26.0)	**18.2**	(14.9 - 21.6)	**20.8**	(17.6 - 24.0)	**19.0**	(15.7 - 22.3)
Age														
15 or less	**14.7**	(9.1 - 20.4)	**21.0**	(16.3 - 25.8)	**24.4**	(19.8 - 29.1)	**24.0**	(21.1 - 26.9)	**19.3**	(15.4 - 23.2)	**16.4**	(12.7 - 20.2)	**18.5**	(14.6 - 22.4)
16 or 17	**19.4**	(13.9 - 25.0)	**23.0**	(19.2 - 26.7)	**27.5**	(24.0 - 30.9)	**28.3**	(24.9 - 31.7)	**20.4**	(14.7 - 26.2)	**26.6**	(22.9 - 30.4)	**23.9**	(20.5 - 27.2)
18 or more	**21.6**	(9.6 - 33.6)	**24.9**	(19.4 - 30.3)	**28.9**	(21.6 - 36.2)	**26.9**	(20.9 - 32.8)	**18.4**	(13.7 - 23.0)	**26.7**	(19.1 - 34.3)	**32.1**	(22.3 - 41.9)
Race/Ethnicity														
White	**19.5**	(13.9 - 25.1)	**29.7**	(25.4 - 34.0)	**33.9**	(28.3 - 39.5)	**30.1**	(26.2 - 33.9)	**25.5**	(20.3 - 30.7)	**24.6**	(19.5 - 29.8)	**25.4**	(19.3 - 31.5)
African Am.	**15.5**	(11.7 - 19.4)	**30.1**	(24.4 - 35.9)	**30.6**	(25.7 - 35.4)	**33.1**	(27.1 - 39.1)	**21.1**	(15.2 - 27.1)	**17.9**	(13.2 - 22.6)	**25.0**	(17.8 - 32.2)
Hispanic	**27.0**	(17.7 - 36.4)	**19.0**	(12.8 - 25.3)	**24.7**	(19.5 - 29.9)	**26.2**	(22.1 - 30.3)	**26.4**	(21.8 - 31.1)	**25.1**	(21.5- 28.8)	**22.3**	(18.0 - 26.6)
Filipino	**NA**		**12.1**	(6.7 - 17.5)	**16.0**	(10.2 - 21.8)	**17.0**	(12.8 - 21.2)	**17.7**	(12.5 - 22.9)	**13.8**	(8.1 - 19.4)	**13.9**	(7.7 - 20.0)
Asian	**NA**		**7.5**	(3.1 - 12.0)	**11.9**	(7.4 - 16.4)	**13.6**	(9.4 - 17.8)	**6.0**	(0.5 - 11.5)	**8.9**	(4.6 - 13.1)	**15.1**	(7.6 - 22.5)
Other	**9.7**	(5.5 - 13.9)	**NA**		**NA**		**NA**		**NA**		**NA**		**NA**	
Participants	N = 653		N = 1,740		N = 1958		N = 2,410		N = 1,679		N = 1,763		N = 1781	

CI: 95% confidence intervals may be used to determine differences between groups at the 0.05 level; differences between proportions are considered statistically significant if the 95% confidence intervals do not overlap.

Prevalence estimates by selected characteristics are not reported when numbers of observations were < 25 in 1991, < 50 in 1993, and < 100 in 1995 to 2003 surveys.

Data Sources:
Youth Risk Behavior Surveillance System (YRBSS) - San Diego City Schools, 1991 to 2003
Youth Risk Behavior Surveillance System (YRBSS) - United States, 2001
NA: Data not collected for this question for this year

Prepared by Community Epidemiology
Updated 3/15/04

Table 52.

Percentage of high school students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days.

By Gender, Age Group and Race/Ethnicity

	San Diego Unified School District													
	1991		1993		1995		1997		1999		2001		2003	
	%	95% CI	%	95% CI	%	95% CI	%	95% CI	%	95% CI	%	95% CI	%	95% CI
Total	**2.6**	(1.6 - 3.6)	**4.3**	(3.2 - 5.4)	**4.4**	(3.4 - 5.5)	**4.0**	(3.1 - 5.0)	**3.2**	(2.0 - 4.3)	**3.8**	(2.6 - 5.0)	**3.0**	(2.0 - 4.0)
Gender														
Male	**2.7**	(1.0 - 4.4)	**5.0**	(3.5 - 6.4)	**4.4**	(2.9 - 5.8)	**4.0**	(2.9 - 5.2)	**4.1**	(2.3 - 6.0)	**3.8**	(2.3 - 5.3)	**3.7**	(2.1 - 5.4)
Female	**2.5**	(0.4 - 4.5)	**3.6**	(2.1 - 5.1)	**4.4**	(2.9 - 5.9)	**4.1**	(2.9 - 5.2)	**2.3**	(1.2 - 3.3)	**3.7**	(2.0 - 5.3)	**2.1**	(1.0 - 3.2)
Age														
15 or less	**3.1**	(1.2 - 5.0)	**4.0**	(2.1 - 5.8)	**3.8**	(2.2 - 5.4)	**4.0**	(2.7 - 5.3)	**3.2**	(1.4 - 5.1)	**2.7**	(1.0 - 4.3)	**2.0**	(0.7 - 3.3)
16 or 17	**2.7**	(1.4 - 3.9)	**4.2**	(2.6 - 5.7)	**4.6**	(3.2 - 6.0)	**4.2**	(2.8 - 5.6)	**3.1**	(1.6 - 4.7)	**3.9**	(2.4 - 5.5)	**3.7**	(2.3 - 5.1)
18 or more	**0.9**	(0.0 - 2.6)	**5.5**	(2.3 - 8.7)	**5.7**	(2.4 - 9.0)	**3.5**	(1.4 - 5.6)	**3.5**	(0.2 - 6.8)	**7.6**	(1.4 - 13.7)	**4.3**	(1.3 - 7.3)
Race/Ethnicity														
White	**2.9**	(1.9 - 3.9)	**5.0**	(3.2 - 6.7)	**4.3**	(2.7 - 6.0)	**4.2**	(2.8 - 5.6)	**2.2**	(0.9 - 3.5)	**4.2**	(1.8 - 6.6)	**3.8**	(1.9 - 5.6)
African Am.	**1.1**	(0.0 - 3.3)	**1.4**	(0.0 - 2.8)	**0.9**	(0.0 - 2.2)	**1.6**	(0.3 - 2.8)	**1.6**	(0.0 - 3.5)	**0.0**	(0.0 - 0.0)	**0.8**	(0.0 - 2.3)
Hispanic	**4.2**	(0.8 - 7.7)	**5.6**	(2.7 - 8.5)	**7.8**	(5.0 - 10.6)	**5.7**	(3.9 - 7.6)	**5.2**	(3.0 - 7.4)	**4.8**	(3.0- 6.7)	**3.3**	(1.2 - 5.3)
Filipino	**NA**		**4.4**	(2.0 - 6.8)	**2.6**	(0.7 - 4.5)	**4.1**	(1.3 - 6.9)	**1.7**	(0.0 - 3.7)	**3.6**	(0.0 - 7.7)	**1.5**	(0.0 - 3.6)
Asian	**NA**		**1.9**	(0.0 - 3.7)	**2.7**	(0.5 - 4.9)	**3.7**	(1.3 - 6.1)	**1.5**	(0.0 - 3.5)	**4.5**	(0.0 - 9.0)	**2.8**	(0.0 - 5.6)
Other	**1.6**	(0.0 - 3.4)	**NA**		**NA**		**NA**		**NA**		**NA**		**NA**	
Participants	N = 652		N = 1,777		N = 1,974		N = 2,424		N = 1,689		N = 1,791		N = 1,794	

CI: 95% confidence intervals may be used to determine differences between groups at the 0.05 level; differences between proportions are considered statistically significant if the 95% confidence intervals do not overlap.

Prevalence estimates by selected characteristics are not reported when numbers of observations were < 25 in 1991, < 50 in 1993, and < 100 in 1995 to 2003 surveys.

Data Sources:
Youth Risk Behavior Surveillance System (YRBSS) - San Diego City Schools, 1991 to 2003
Youth Risk Behavior Surveillance System (YRBSS) - United States, 2001
NA: Data not collected for this question for this year

Prepared by Community Epidemiology
Updated 3/15/04

Table 53.

Percentage of high school students who used methamphetamines one or more times during their lifetime.
By Gender, Age Group and Race/Ethnicity

	San Diego Unified School District							
	1997		1999		2001		2003	
	%	95% CI	%	95% CI	%	95% CI	%	95% CI
Total	**NA**		**9.2**	(7.1 - 11.4)	**8.4**	(6.4 - 10.4)	**7.6**	(6.0 - 9.1)
Gender								
Male	**NA**		**8.7**	(6.0 - 11.5)	**7.7**	(5.6 - 9.9)	**8.7**	(6.2 - 11.3)
Female	**NA**		**9.7**	(7.4 - 12.1)	**9.1**	(6.4 - 11.8)	**6.2**	(4.4 - 7.9)
Age								
15 or less	**NA**		**6.2**	(3.9 - 8.5)	**6.6**	(3.9 - 9.3)	**5.4**	(2.9 - 7.9)
16 or 17	**NA**		**10.8**	(7.5 - 14.1)	**9.2**	(6.7 - 11.8)	**8.8**	(6.5 - 11.0)
18 or more	**NA**		**13.7**	(6.8 - 20.6)	**11.7**	(6.5 - 16.8)	**11.5**	(6.8 - 16.1)
Race/Ethnicity								
White	**NA**		**9.7**	(6.6 - 12.7)	**8.7**	(5.5 - 11.9)	**6.8**	(3.7 - 9.8)
African Am.	**NA**		**4.9**	(2.3 - 7.4)	**4.0**	(0.1 - 7.9)	**2.8**	(0.1 - 5.5)
Hispanic	**NA**		**13.1**	(8.2 - 17.9)	**9.9**	(7.3 - 12.5)	**9.4**	(6.6 - 12.1)
Filipino	**NA**		**5.1**	(1.6 - 8.6)	**9.7**	(2.5 - 16.9)	**10.6**	(4.1 - 17.1)
Asian	**NA**		**5.1**	(0.8 - 9.5)	**7.3**	(2.1 - 12.4)	**5.7**	(1.2 - 10.1)
Other	**NA**		**NA**		**NA**		**NA**	
Participants	NA		N = 1,712		N = 1,805		N = 1,800	

CI: 95% confidence intervals may be used to determine differences between groups at the 0.05 level; differences between proportions are considered statistically significant if the 95% confidence intervals do not overlap.

Prevalence estimates by selected characteristics are not reported when numbers of observations were < 25 in 1991, < 50 in 1993, and < 100 in 1995 to 2003 surveys.

Data Sources:
Youth Risk Behavior Surveillance System (YRBSS) - San Diego City Schools, 1991 to 2003
Youth Risk Behavior Surveillance System (YRBSS) - United States, 2001
NA: Data not collected for this question for this year

Prepared by Community Epidemiology
Updated 3/15/04

Table 54.

Percentage of high school students who are overweight.
By Gender, Age Group and Race/Ethnicity

	San Diego Unified School District							
	1997		1999		2001		2003	
	%	95% CI	%	95% CI	%	95% CI	%	95% CI
Total	**NA**		**6.5**	(5.2 - 7.9)	**7.7**	(6.2 - 9.3)	**9.6**	(8.0 - 11.3)
Gender								
Male	**NA**		**8.2**	(6.2 - 10.2)	**10.8**	(8.3 - 13.3)	**13.4**	(10.9 - 15.9)
Female	**NA**		**4.8**	(2.8 - 6.8)	**4.5**	(2.9 - 6.0)	**5.7**	(3.7 - 7.7)
Age								
15 or less	**NA**		**6.2**	(4.2 - 8.3)	**10.5**	(8.1 - 12.9)	**9.3**	(6.9 - 11.7)
16 or 17	**NA**		**6.6**	(4.5 - 8.7)	**6.0**	(4.1 - 7.9)	**9.8**	(7.1 - 12.5)
18 or more	**NA**		**7.3**	(3.0 - 11.5)	**5.2**	(0.9 - 9.6)	**10.4**	(5.9 - 14.9)
Race/Ethnicity								
White	**NA**		**3.7**	(1.8 - 5.6)	**3.5**	(1.8 - 5.2)	**4.3**	(2.3 - 6.3)
African Am.	**NA**		**8.6**	(4.3 - 12.9)	**6.5**	(2.9 - 10.1)	**9.3**	(5.3 - 13.2)
Hispanic	**NA**		**8.7**	(5.4 - 12.1)	**11.7**	(8.5 - 14.9)	**13.8**	(11.1 - 16.6)
Filipino	**NA**		**5.9**	(2.2 - 9.6)	**10.1**	(5.7 - 14.5)	**7.7**	(3.8 - 11.5)
Asian	**NA**		**0.8**	(0.0 - 2.4)	**4.6**	(0.5 - 8.7)	**9.0**	(2.6 - 15.4)
Other	**NA**							
Participants	NA		N = 1,600		N = 1,684		N = 1,743	

CI: 95% confidence intervals may be used to determine differences between groups at the 0.05 level; differences between proportions are considered statistically significant if the 95% confidence intervals do not overlap.

Prevalence estimates by selected characteristics are not reported when numbers of observations were < 25 in 1991, < 50 in 1993, and < 100 in 1995 to 2003 surveys.

Data Sources:
Youth Risk Behavior Surveillance System (YRBSS) - San Diego City Schools, 1991 to 2003
Youth Risk Behavior Surveillance System (YRBSS) - United States, 2001
NA: Data not collected for this question for this year

Prepared by Community Epidemiology
Updated 3/15/04

Table 55.

Percentage of high school students who ate five or more servings of fruits and vegetables per day during the past seven days.
By Gender, Age Group and Race/Ethnicity

	San Diego Unified School District							
	1997		1999		2001		2003	
	%	95% CI	%	95% CI	%	95% CI	%	95% CI
Total	**NA**		**24.5**	(22.2 - 26.9)	**20.1**	(17.9 - 22.2)	**18.7**	(16.6 - 20.7)
Gender								
Male	**NA**		**26.1**	(22.8 - 29.3)	**21.6**	(18.2 - 25.0)	**18.9**	(16.1 - 21.7)
Female	**NA**		**23.3**	(20.6 - 26.0)	**18.6**	(16.0 - 21.1)	**18.4**	(15.7 - 21.1)
Age								
15 or less	**NA**		**26.4**	(22.8 - 29.9)	**20.5**	(17.2 - 23.7)	**18.1**	(14.6 - 21.6)
16 or 17	**NA**		**23.9**	(20.5 - 27.3)	**18.4**	(15.7- 21.2)	**19.1**	(16.3 - 21.8)
18 or more	**NA**		**21.2**	(15.0 - 27.4)	**25.8**	(17.4 - 34.1)	**19.7**	(14.8 - 24.6)
Race/Ethnicity								
White	**NA**		**25.1**	(20.7 - 29.4)	**18.2**	(14.3 - 22.1)	**21.9**	(18.0 -25.8)
African Am.	**NA**		**22.0**	(15.7 - 28.3)	**18.1**	(10.5 - 25.7)	**18.5**	(11.8- 25.1)
Hispanic	**NA**		**27.6**	(22.7 - 32.5)	**22.1**	(18.4 - 25.8)	**16.0**	(12.9 - 19.1)
Filipino	**NA**		**19.4**	(12.4 - 26.5)	**18.0**	(10.8 - 25.1)	**11.0**	(6.2 - 15.9)
Asian	**NA**		**19.3**	(12.7 - 25.9)	**28.6**	(21.1 - 36.1)	**25.7**	(19.3 - 32.1)
Other	**NA**							
Participants	NA		N = 1,656		N = 1,751		N = 1,771	

CI: 95% confidence intervals may be used to determine differences between groups at the 0.05 level; differences between proportions are considered statistically significant if the 95% confidence intervals do not overlap.

Prevalence estimates by selected characteristics are not reported when numbers of observations were < 25 in 1991, < 50 in 1993, and < 100 in 1995 to 2003 surveys.

Data Sources:
Youth Risk Behavior Surveillance System (YRBSS) - San Diego City Schools, 1991 to 2003
Youth Risk Behavior Surveillance System (YRBSS) - United States, 2001
NA: Data not collected for this question for this year

Prepared by Community Epidemiology
Updated 3/15/04

Table 56.

Percentage of high school students who exercised or participated in physical activities for at least 20 minutes that made them sweat and breathe hard on 3 or more of the past 7 days.

By Gender, Age Group and Race/Ethnicity

	San Diego Unified School District													
	1991		1993		1995		1997		1999		2001		2003	
	%	95% CI	%	95% CI	%	95% CI	%	95% CI	%	95% CI	%	95% CI	%	95% CI
Total	**73.4**	(67.6 - 79.1)	**68.6**	(65.9 - 71.3)	**63.2**	(60.2 - 66.3)	**67.4**	(65.0 - 69.8)	**67.2**	(63.8 - 70.6)	**65.0**	(61.2 - 68.8)	**65.8**	(61.8 - 69.9)
Gender														
Male	**81.4**	(75.6 - 87.3)	**77.4**	(74.4 - 80.5)	**71.6**	(67.7 - 75.6)	**74.2**	(71.2 - 77.1)	**74.4**	(70.8 - 78.0)	**72.3**	(67.8 - 76.8)	**71.9**	(67.3 - 76.5)
Female	**65.0**	(55.8 - 74.2)	**59.8**	(56.0 - 63.6)	**55.6**	(51.4 - 59.8)	**60.5**	(57.1 - 64.0)	**60.2**	(55.6 - 64.9)	**57.8**	(53.0 - 62.7)	**59.3**	(54.5 - 64.1)
Age														
15 or less	**80.4**	(72.1 - 88.8)	**79.2**	(73.4 - 84.9)	**71.2**	(67.2 - 75.1)	**76.2**	(73.4 - 79.0)	**76.4**	(72.2 - 80.5)	**73.3**	(68.9 - 77.7)	**72.7**	(66.9 - 78.4)
16 or 17	**71.0**	(63.8 - 78.1)	**66.0**	(62.4 - 69.6)	**60.2**	(56.3 - 64.1)	**64.3**	(61.0 - 67.6)	**63.1**	(59.3 - 66.9)	**61.4**	(56.7 - 66.0)	**62.8**	(57.9 - 67.7)
18 or more	**64.5**	(50.9 - 78.2)	**53.3**	(45.5 - 61.1)	**51.1**	(46.0 - 56.3)	**50.1**	(44.6 - 55.6)	**51.7**	(43.7 - 59.8)	**50.5**	(41.3 - 59.6)	**50.0**	(39.3 - 60.8)
Race/Ethnicity														
White	**78.3**	(69.0 - 87.5)	**73.5**	(69.9 - 77.2)	**67.5**	(62.6 - 72.4)	**75.5**	(72.0 - 79.0)	**73.1**	(68.7 - 77.6)	**71.8**	(64.9 - 78.6)	**75.5**	(69.9 - 81.1)
African Am.	**71.3**	(57.7 - 85.0)	**67.6**	(59.8 - 75.4)	**65.8**	(57.9 - 73.8)	**61.3**	(55.6 - 66.9)	**66.3**	(59.2 - 73.4)	**63.3**	(56.2 - 70.4)	**66.0**	(56.8 - 75.2)
Hispanic	**69.8**	(62.7 - 77.0)	**64.6**	(59.5 - 69.7)	**58.5**	(53.4 - 63.6)	**63.5**	(58.4 - 68.6)	**64.1**	(58.4 - 69.8)	**62.3**	(57.2 - 67.3)	**59.7**	(53.8 - 65.6)
Filipino	**NA**		**68.0**	(61.9 - 74.1)	**62.4**	(57.1 - 67.8)	**61.7**	(53.5 - 70.0)	**70.7**	(60.2 - 81.3)	**55.0**	(46.8 - 63.3)	**62.3**	(54.9 - 69.7)
Asian	**NA**		**62.2**	(55.2 - 69.1)	**60.9**	(54.7 - 67.2)	**67.5**	(61.2 - 73.8)	**51.8**	(41.5 - 62.1)	**58.6**	(49.7 - 67.5)	**60.9**	(50.1 - 71.7)
Other	**67.4**	(58.5 - 76.2)	**NA**		**NA**		**NA**		**NA**		**NA**		**NA**	
Participants	N = 658		N = 1,778		N = 1,997		N = 2,445		N = 1,701		N = 1,776		N = 1,784	

CI: 95% confidence intervals may be used to determine differences between groups at the 0.05 level; differences between proportions are considered statistically significant if the 95% confidence intervals do not overlap.

Prevalence estimates by selected characteristics are not reported when numbers of observations were < 25 in 1991, < 50 in 1993, and < 100 in 1995 to 2003 surveys.

Data Sources:
Youth Risk Behavior Surveillance System (YRBSS), San Diego City Schools, 1991 to 2001
Youth Risk Behavior Surveillance System (YRBSS), United States, 2001
NA: Data not collected for this question for this year

Prepared by Community Epidemiology
Updated 3/15/04