

SUICIDE IN SAN DIEGO COUNTY, 2015

JUNE 28, 2016 SPC ANNUAL STAKEHOLDERS MEETING

Joshua Smith, Ph.D., MPH

Epidemiologist

County of San Diego, Health and Human Services Agency

Public Health Services

Emergency Medical Services



SUICIDES IN 2015




Total number of suicides in 2015: 427

- ➤ 15.2 per 100,000 people (10+ years old)
- ➤ Similar to 2014
- > Gender
 - ≥ 323 males
 - > 104 females
- ➤ Age range
 - ➤ 14 to 94 years


NON-NATURAL DEATHS IN SAN DIEGO COUNTY, 2015





SUICIDES VS UNINTENTIONAL DEATHS, 2015





SUICIDES BY AGE GROUP IN 2015




| Age Group | Male | Male Rate** | Female | Female Rate** | Total | Total Rate** |
|----------------|------|----------------|--------|------------------|-------|-----------------|
| 10-19 | 17 | 7.5 | 4 | * | 21 | 4.9 |
| 20-29 | 55 | 20.3 | 17 | 7.0 | 72 | 14.1 |
| 30-39 | 42 | 18.6 | 11 | 5.0 | 53 | 11.9 |
| 40-49 | 49 | 24.3 | 21 | 10.3 | 70 | 17.2 |
| 50-59 | 63 | 30.7 | 26 | 12.3 | 89 | 21.3 |
| 60-69 | 36 | 24.2 | 17 | 10.3 | 53 | 16.9 |
| 70-79 | 33 | 45.7 | 2 | * | 35 | 21.8 |
| 80+ | 28 | 57.3 | 6 | 8.3 | 34 | 28.1 |

^{*}Rates not calculated for totals less than 5

^{**}Rates per 100,000 people


TOTAL SUICIDES BY AGE GROUP AND GENDER, 2015






SUICIDE RATES BY AGE GROUP AND GENDER, 2015





MALE-TO-FEMALE SUICIDE RATE RATIO BY AGE GROUP, 2015





SUICIDES BY RACE/ETHNICITY IN 2015




| Race/ Ethnicity | Male | Male Rate** | Female | Female Rate** | Total | Total Rate** |
|--------------------|------|----------------|--------|------------------|-------|-----------------|
| White | 247 | 31.7 | 81 | 11.0 | 328 | 21.6 |
| Black | 14 | 18.9 | 5 | 7.8 | 19 | 13.7 |
| Hispanic | 40 | 7.6 | 9 | 1.6 | 49 | 4.5 |
| Asian/PI | 20 | 11.5 | 8 | 4.0 | 28 | 7.5 |

^{**}Rates per 100,000 people

SUICIDE RATES BY RACE AND GENDER, 2015








SUICIDES BY MARITAL STATUS, 2015






SUICIDE RATES BY MARITAL STATUS, 2015








TOXICOLOGY RESULTS FOR SUICIDES, 2015 SAN DIEGO









METHOD OF SUICIDE, 2015





PERCENT METHOD OF SUICIDE, 2003 - 2015








SUICIDE TRENDS




SAN DIEGO COUNTY SUICIDE RATES, 1990 - 2015






SAN DIEGO COUNTY SUICIDE RATES, LAST DECADE






SUICIDE RATES BY AGE GROUP, 2006-2015






SUICIDE TRENDS, 10 - 19 YEARS OLD 2004-2015





SUICIDE RATE TRENDS, 85 YEARS AND OLDER






Sources: County of San Diego, Health and Human Services Agency, Emergency Medical Services, Medical Examiner Database, 2000 – 2015. Centers for Disease Control and Prevention, National Center for Health Statistics. Compressed Mortality File 1999-2014. CDC WONDER On-line Database. U.S. Census Bureau, 2007-2014 American Community Survey.

Rates per 100,000 people

NATIONAL & STATE COMPARISON, 2005-2015









SUICIDES BY COUNTY REGION



COUNTY OF SAN DIEGO HHSA REGIONS















SUICIDE RATE* BY COUNTY REGION, 2010 - 2015






NORTH COASTAL REGION, 2010 - 2015






NORTH CENTRAL REGION, 2010 - 2015






CENTRAL REGION, 2010 - 2015





SOUTH REGION, 2010 - 2015






Sources: County of San Diego, Health and Human Services Agency, Emergency Medical Services, Medical Examiner Database, 2000 – 2015. Centers for Disease Control and Prevention, National Center for Health Statistics. Compressed Mortality File 1999-2014. CDC WONDER On-line Database. U.S. Census Bureau, 2007-2014 American Community Survey.

Rates per 100,000 people

EAST REGION, 2010 - 2015






Sources: County of San Diego, Health and Human Services Agency, Emergency Medical Services, Medical Examiner Database, 2000 – 2015. Centers for Disease Control and Prevention, National Center for Health Statistics. Compressed Mortality File 1999-2014. CDC WONDER On-line Database. U.S. Census Bureau, 2007-2014 American Community Survey.

Rates per 100,000 people


NORTH INLAND REGION, 2010 - 2015





SUICIDE RATE* BY COUNTY REGION, 2010 - 2015





SUICIDE RATE* BY COUNTY REGION, 2010 - 2015



| | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
|---------------|------|------|------|------|------|------|
| North Coastal | 9.7 | 11.2 | 13.7 | 14.8 | 14.7 | 14.9 |
| North Central | 13.7 | 12.0 | 13.5 | 14.4 | 14.1 | 13.5 |
| Central | 10.2 | 13.6 | 13.6 | 13.7 | 9.9 | 9.7 |
| South | 6.1 | 10.9 | 7.3 | 8.1 | 7.2 | 8.3 |
| East | 13.6 | 15.5 | 13.7 | 13.4 | 13.3 | 13.2 |
| North Inland | 11.5 | 8.7 | 11.7 | 13.1 | 12.5 | 12.7 |
| Total | 10.9 | 11.8 | 12.3 | 13.0 | 12.1 | 12.1 |

INCREASE IN SUICIDE IN THE UNITED STATES, 1999–2014



DATA FROM THE NATIONAL VITAL STATISTICS SYSTEM, MORTALITY

- From 1999 through 2014, the age-adjusted suicide rate in the United States increased 24%, from 10.5 to 13.0 per 100,000 population, with the pace of increase greater after 2006.
- Suicide rates increased from 1999 through 2014 for both males and females and for all ages 10–74.
- The percent increase in suicide rates for females was greatest for those aged 10–14, and for males, those aged 45–64.
- The most frequent suicide method in 2014 for males involved the use of firearms (55.4%),
 while poisoning was the most frequent method for females (34.1%).
- Percentages of suicides attributable to suffocation increased for both sexes between 1999 and 2014.

2015 IN SUMMARY



- ➤ After three years of increase, the annual suicide rate decreased in San Diego County in 2014 and remained constant in 2015.
 - ➤ However, there has been trend of increasing suicides over the last decade.
- ➤ In 2015, there were 7 times as many suicides in the County as there were homicides.
- ➤ There were 3 times as many male suicides as there were female suicides.
- Suicide rates generally increase with age.
- > 58% of all suicides are white males

2014 IN SUMMARY



- Divorced and widowed males had higher rates of suicide.
- ➤ The most common drugs present in suicides were alcohol, benzodiazepines, and prescription opioids.
- ➤ The San Diego County suicide rate is similar to the national rate but is higher than the California state rate.
- ➤ The North Coastal Region has the highest suicide rate and the South Region has the lowest.



THANK YOU

Joshua. Smith @sdcounty.ca.gov

